

OS-299 (7-08)



TRANSMITTAL LETTER

PUBLICATION:

236

DATE:

5/1/2012

SUBJECT:

Publication 236, Handbook of Approved Signs

INFORMATION AND SPECIAL INSTRUCTIONS:

Attached is a new edition of Publication 236, Handbook of Approved Signs. Significant changes to this publication include: 1) elimination of all metric dimensioning and 2) new and revised sign standards complying with the Federal Manual on Uniform Traffic Control Devices (MUTCD), 2009 Edition, where applicable. Publication 236 contains official sign standards for Pennsylvania and shall be used in place of the MUTCD for this purpose.

CANCEL AND DESTROY THE FOLLOWING:

This new edition of Publication 236 supercedes the February 28, 2006 edition including Changes 1 and 2.

ADDITIONAL COPIES ARE AVAILABLE FROM:

- PennDOT SALES STORE
(717) 787-6746 phone
(717) 787-8779 fax
ra-penndotsalesstore@state.pa.us
- PennDOT website - www.dot.state.pa.us
Click on Forms, Publications & Maps
- DGS warehouse (PennDOT employees ONLY)

APPROVED FOR ISSUANCE BY:

A handwritten signature in black ink, appearing to read "Charles C. Goodhart".

Charles C. Goodhart /s/
Director
Bureau of Maintenance and Operations

HANDBOOK OF APPROVED SIGNS

PUBLICATION 236



PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
General Change - Numerous sign standards			Changed wording of "two-lane highways" to "single lane conventional highways" and "conventional highways with 3 or more lanes" to "multi-lane conventional highways"
R-Series			
1	R1-1	STOP	Revised reference to supplemental plaques in justification; revised reference to Pub 213 in Authorization & added guidance from MUTCD Section 2B.10 Paragraph 08 to size notes; added 18x18 size dimensions
2	R1-2	YIELD	Revised justification (added MUTCD Section 2B.10 Paras. 8 & 20) & size notes
3	R1-2AP	TO ONCOMING TRAFFIC	Revised nomenclature (previously R1-2A).
4	R1-3	MULTI-WAY STOP SIGN PLAQUE	REMOVED SIGN
5	R1-3P	ALL WAY PLAQUE	Revised nomenclature and name (previously R1-4 MULTI-WAY STOP (ALL-WAY) PLAQUE).
6	R1-5L	YIELD HERE TO PEDESTRIAN WITH LEFT ARROW	Changed size to 36" x 36". Revised justification (added MUTCD Section 2C.50 Para 6)
7	R1-5R	YIELD HERE TO PEDESTRIAN WITH RIGHT ARROW	Changed size to 36" x 36". Revised justification (added MUTCD Section 2C.50 Para 6)
8	R1-6	IN-STREET PEDESTRIAN CROSSING SIGN	Revised (a) justification & (b) placement (added MUTCD Section 2B.12 Para 3)
9	R1-9	OVERHEAD PEDESTRIAN CROSSING SIGN	NEW SIGN
10	R1-10P	EXCEPT RIGHT TURN PLAQUE	Revised nomenclature (previously R1-1-1), size & layout of existing message.
11	R2-1	SPEED LIMIT	Revised standard size notes to match MUTCD standards
12	R2-2-2	WORK ZONE SPEED LIMIT SIGN	REMOVED SIGN. Replaced with G20-5AP.
13	R2-5	REDUCED SPEED () AHEAD	REMOVED SIGN. Replaced with W3-5.
14	R2-6P	FINES HIGHER	NEW SIGN
15	R2-6AP	FINES DOUBLE	NEW SIGN
16	R2-10	BEGIN HIGHER FINES ZONE	NEW SIGN
17	R2-11	END HIGHER FINES ZONE	NEW SIGN
18	R2-101	TRUCK AND BUS PLAQUE	Revised nomenclature (previously R2-2)
19	R3-1	NO RIGHT TURN	Revised size notes
20	R3-2	NO LEFT TURN	Revised Placement (added MUTCD Section 2B.18 Para 14) & Size
21	R3-3	NO TURNS	Revised size notes
22	R3-4	NO U-TURN	Revised Placement (added MUTCD Section 2B.18 Para 14) & Size
24	R3-5A	STRAIGHT-THROUGH	Revised nomenclature (previously R3-5S).
23	R3-5-1	U-TURN OK	Revised size notes
25	R3-7C	CENTER LANE MUST TURN LEFT	Add 36"x36" size and added size note
26	R3-7L	LEFT LANE MUST TURN LEFT	Add 36"x36" size and revised size notes
27	R3-7R	RIGHT LANE MUST TURN RIGHT	Add 36"x36" size and revised size notes
28	R3-7-1L	ALL TRAFFIC MUST TURN LEFT	Add 36"x36" size and revised size notes
29	R3-7-1R	ALL TRAFFIC MUST TURN RIGHT	Add 36"x36" size and revised size notes
30	R3-8A	LANE USE CONTROL (TWO LANES) SIGN	Added standard that sign shall not be mounted overhead.
31	R3-8B	LANE USE CONTROL (THREE LANES) SIGN	Added standard that sign shall not be mounted overhead.
32	R3-9CP	BEGIN plaque	Revised nomenclature (previously R3-9-3). Revised justification, placement and size.
33	R3-9DP	END plaque	Revised nomenclature (previously R2-10). Revised justification, placement and size.

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
34	R3-10	HOV RESTRICTED LANE SIGN	Revised sign message to match MUTCD sign message.
35	R3-11A	HOV PREFERENTIAL LANE SIGN	Revised sign message to match MUTCD sign message. Changed 36x60 size to 42x60 size.
36	R3-15B	HOV PREFERENTIAL LANE ENDS OVERHEAD SIGN	Revised nomenclature (previously R3-15A).
37	R3-20L	BEGIN LEFT TURN LANE	NEW SIGN
38	R3-20R	BEGIN RIGHT TURN LANE	NEW SIGN
39	R3-23	ALL TURNS FROM RIGHT LANE	Revised nomenclature (previously R4-15).
40	R3-23A	U TURN FROM RIGHT LANE	NEW SIGN
41	R3-24	ALL TURNS (45 DEGREE ARROW)	Revised nomenclature (previously R4-16), size & layout of existing message
42	R3-24A	U AND LEFT TURNS (45 DEGREE ARROW)	NEW SIGN
43	R3-24B	U TURN (45 DEGREE ARROW)	NEW SIGN
44	R3-25	ALL TURNS (RIGHT ARROW)	NEW SIGN
45	R3-25A	U AND LEFT TURNS (RIGHT ARROW)	NEW SIGN
46	R3-25B	U TURN (RIGHT ARROW)	NEW SIGN
47	R3-26	U AND LEFT TURNS (STRAIGHT ARROW)	NEW SIGN
48	R3-26A	U TURN (STRAIGHT ARROW)	NEW SIGN
49	R3-101P	EXCEPT BUSES PLAQUE	Revised nomenclature (previously R3-1A)
50	R3-102P	TRUCK OVER () FEET LONG PLAQUE	Revised nomenclature (previously R3-1B)
51	R3-103	PREFERENTIAL LANE SIGN	Revised nomenclature (R3-14) and removed TC-8700C reference
52	R4-1	DO NOT PASS	Added 12x18 size
53	R4-2	PASS WITH CARE	Added 12x18 size
54	R4-3	SLOWER TRAFFIC KEEP RIGHT	REMOVED SIGN. Replaced with R4-16.
55	R4-7	KEEP RIGHT	Added 12x18 size
56	R4-7C	KEEP RIGHT (NARROW)	NEW SIGN
57	R4-8C	KEEP LEFT (NARROW)	NEW SIGN
58	R4-9	STAY IN LANE	Added 24x30 size
59	R4-11	BICYCLES MAY USE FULL LANE	NEW SIGN
60	R4-16	KEEP RIGHT EXCEPT TO PASS	NEW SIGN
61	R4-101	LEFT LANE NO BUSES SIGN	Revised nomenclature (previously R4-11)
62	R4-102	LEFT LANE NO TRUCKS SIGN	Revised nomenclature (previously R4-11-1)
63	R4-103	NO TRUCKS BUSES TRAILERS LEFT LANE SIGN	Revised nomenclature (previously R4-11-2)
64	R4-104	TRUCKS BUSES RIGHT LANE ONLY	Revised nomenclature (previously R4-12).
65	R4-105	TRUCK MINIMUM SPEED LIMIT	Revised nomenclature (previously R4-12-1).
66	R4-106	ENTER (90 degree arrow) HERE	Revised nomenclature (previously R4-14) & justification.
67	R4-107	KEEP OFF SHOULDER	Revised nomenclature (previously R4-18).
68	R5-1	DO NOT ENTER	Revised size notes
69	R5-1A	WRONG WAY SIGN	Changed 48x36 size to 48x30 and revised size notes
70	R5-3-4	NO TRUCK OR BUSES	Revised reference to sign R12-1-1 to W16-103P
71	R5-10C	NO PEDESTRIANS	Revise name & message (previously Pedestrians Prohibited)

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
72	R5-101	EMERGENCY AND AUTHORIZED VEHICLES	Revised nomenclature (previously R5-3-6)
73	R5-102	SEMITRAILER MINIMUM UNDERCLEARANCE	Revised nomenclature (previously R5-7)
74	R5-103	VEHICLES OVER () () FOLLOW	Revised nomenclature (previously R5-10)
75	R5-104	VEHICLES OVER () TONS NO TURNS	Revised nomenclature (previously R5-10-1)
76	R5-105	SNOW EMERGENCY ROUTE	Revised nomenclature (previously R5-11) and removed reference to PA Code 67 Chapter 213
77	R6-1L	HORIZONTAL LEFT ONE-WAY SIGN	Revised size notes
78	R6-1R	HORIZONTAL RIGHT ONE-WAY SIGN	Revised (a) Justification and (b) Placement to add MUTCD sect 2B.40 Para 11&12 and size notes
79	R6-2L	VERTICAL LEFT ONE-WAY SIGN	Revised size notes
80	R6-2R	VERTICAL RIGHT ONE-WAY SIGN	Revised (a) Justification and (b) Placement to add MUTCD sect 2B.40 Para 11&12 and size notes
81	R6-3	DIVIDED HIGHWAY CROSSING SIGN	Revised sign name and justification
82	R6-3A	DIVIDED HIGHWAY SIDEROAD CROSSING SIGN	Revised justification
83	R6-4	ROUNDBABOUT DIRECTIONAL (2 CHEVRONS) SIGN	NEW SIGN
84	R6-4A	ROUNDBABOUT DIRECTIONAL (3 CHEVRONS) SIGN	NEW SIGN
85	R6-4B	ROUNDBABOUT DIRECTIONAL (4 CHEVRONS) SIGN	NEW SIGN
86	R6-6	BEGIN ONE WAY	Revised nomenclature (previously R6-12), added 30x36 size & revised size note.
87	R6-7	END ONE WAY	Revised nomenclature (previously R6-11), added 30x36 size & revised size note.
88	R6-10	TWO-WAY TRAFFIC AHEAD	REMOVED SIGN. Replaced with W6-3.
89	R7-2	NO PARKING RESTRICTED HOURS SIGN	Revised nomenclature (previously R7-2A).
90	R7-3-1	NO PARKING RESTRICTED DAY SIGN	Revised nomenclature (previously R7-2B)
91	R7-6-1	NO PARKING LOADING ZONE SIGN	Revised nomenclature (previously R7-6A)
92	R7-8P	VAN ACCESSIBLE SIGN	Revised nomenclature (previously R7-8B) and color.
93	R7-8-1	RESERVED PARKING - STATE POLICE ONLY	Revised name to match message
94	R7-201AP	TOW-AWAY ZONE	Revised nomenclature (previously R7-201)
95	R7-203-1	SNOW EMERGENCY ROUTE NO PARKING SIGN	Revised nomenclature (previously R7-22)
96	R7-203-2	NO PARKING UNTIL SNOW IS REMOVED	Revised nomenclature (previously R7-22-1)
97	R7-301	NO PARKING ARROW PLAQUE	Revised nomenclature (previously R7-7)
98	R7-302	NO PARKING SYMBOL/ARROW	Revised nomenclature (previously R7-7A)
99	R8-3	NO PARKING (symbol)	Revised nomenclature (previously R8-3A).
100	R8-3CP	ON PAVEMENT plaque	Revised nomenclature (previously R8-1).
101	R8-3GP-1	NO PARKING LOADING ZONE PLAGUE	Revised nomenclature (previously R7-6).
102	R8-3HP-1	NO PARKING RESTRICTED HOURS PLAGUE	Revised nomenclature (previously R7-2).
103	R9-3	NO PEDESTRIANS symbol sign	Revised nomenclature (previously R9-3A) & references to R9-3BPL & R
104	R9-3BPL	USE CROSSWALK LEFT PLAQUE	Revised nomenclature (previously R9-3BL).
105	R9-3BPR	USE CROSSWALK RIGHT PLAQUE	Revised nomenclature (previously R9-3BR).
106	R9-7	KEEP LEFT / RIGHT BIKES / PEDS	NEW SIGN
107	R10-1	CROSS ON GREEN LIGHT ONLY	REMOVED SIGN
108	R10-2	CROSS ON WALK SIGNAL ONLY	REMOVED SIGN. Replaced with new R10-2.
109	R10-2	CROSS ON WALK SYMBOL ONLY	Revised nomenclature (previously R10-2A) & revised size from 12x18 to 9x12

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
110	R10-3	PUSH BUTTON FOR GREEN LIGHT	REMOVED SIGN. Replaced with new R10-3.
111	R10-3	PUSH BUTTON FOR WALK SIGNAL	Revised nomenclature (previously R10-4B) & revised message graphics
112	R10-3B	EDUCATIONAL PUSHBUTTON FOR WALKING PERSON SIGNAL	Modified sign message (switched the last 2 lines of text)
113	R10-3C	EDUCATIONAL PUSHBUTTON FOR WALK SIGNAL	REMOVED SIGN
114	R10-3E	EDUCATIONAL PB FOR WALK SIGNAL W/ COUNTDOWN TIMER	Modified sign message (switched the last 2 lines of text)
115	R10-4	PUSH BUTTON FOR WALK SIGNAL	REMOVED SIGN. Replaced with new R10-4.
116	R10-4	PUSH BUTTON FOR GREEN SIGNAL	NEW SIGN
117	R10-5	LEFT ON GREEN ARROW ONLY	Revised size notes
118	R10-10L	LEFT TURN SIGNAL	deleted (b) Size and the 24x30 size option
119	R10-10R	RIGHT TURN SIGNAL	deleted (b) Size and the 24x30 size option
120	R10-11	NO TURN ON RED SIYMBOL	Revised (a) Justification and added size notes. Added 36"x48" size.
121	R10-11B	NO TURN ON RED SQUARE-SHAPED SIGN	Added 36"x36" size. Removed 24" and 30" sizes.
122	R10-11C	NO TURN ON RED EXCEPT FROM RIGHT LANE	NEW SIGN
123	R10-15L	TURNING TRAFFIC MUST YIELD TO PEDESTRIANS	Revised layout to match MUTCD sign.
124	R10-15R	TURNING TRAFFIC MUST YIELD TO PEDESTRIANS	Revised layout to match MUTCD sign.
125	R10-18	TRAFFIC LAWS PHOTO ENFORCED SIGN	Revised size and message.
126	R10-19AP	PHOTO ENFORCED SIGN	Revised nomenclature (previously R10-19).
127	R10-20	OPPOSING TRAFFIC HAS EXTENDED GREEN	REMOVED SIGN. Replaced with W25-1 & W25-2.
128	R10-20AP	RESTRICTED HOURS PLAQUE	Revised nomenclature (previously R10-20A).
129	R10-25	PUSH BUTTON TO ACTIVATE WARNING LIGHTS	Revised nomenclature (previously R10-8) and message
130	R10-28	ONE VEHICLE PER GREEN	Revised nomenclature (previously R21-3).
131	R10-29	ONE VEHICLE PER GREEN	Revised nomenclature (previously R21-4), size & layout of existing message.
132	R10-101	NO TURN ON RED WITH A ONE-LINE RESTRICTION	Revised nomenclature (previously R10-11C)
133	R10-102	FORM TWO LANES WHEN METERED SIGN	Revised nomenclature (previously R21-2)
134	R10-103	RAMP METER ON WHEN FLASHING	Revised nomenclature (previously R21-1)
135	R11-1	KEEP OFF MEDIAN	Revised nomenclature (previously R4-19)
136	R11-3A	ROAD CLOSED - LOCAL TRAFFIC ONLY	Revised justification (added MUTCD Section 2B.58 Para 4)
137	R12-1-2	BRIDGE PLAQUE (FOR R12-1)	Revised reference to R12-1-1 to W16-103P
138	R12-1-3	WEIGHT LIMIT FOR SAFETY PLAQUE	Revised reference to R12-1-1 to W16-103P
139	R14-9	BRAKE RETARDERS PROHIBITED SIGN	Removed reference to PA Code 67.
140	R14-17	TRUCKS OVER 10,000 GVWR RIGHT LANE	Revised reference to Truck Inspection Ahead sign nomenclature (now W25-102)
141	R14-18	TRUCKS OVER 10,000 GVWR ENTER	Revised reference to Truck Inspection Ahead sign nomenclature (now W25-102)
142	R15-1 & 2P	RAILROAD CROSSBUCK AND TRACKS SIGN	Revised nomenclature (previously R15-1 & 2) & Added 24x4.5 size
143	R15-3P	EXEMPT RAILROAD CROSSING SIGN	Revised nomenclature (previously R15-3)
144	R15-101	HIGH SPEED TRAINS	Revised nomenclature (previously R15-4)
145	R16-4	FENDER BENDER SIGN	Revised nomenclature (previously I85-1).
146	R16-8	TURN ON HEADLIGHTS	Revised nomenclature (prev. I3-1), size and layout of existing message.
147	R16-9	CHECK HEADLIGHTS	Revised nomenclature, name (prev. HEADLIGHTS ON? & I3-1-1), size & layout of existing message.

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
148	R16-101	NO CRUISING	Revised nomenclature (previously R16-4).
149	R16-102	WET PAINT	Revised nomenclature (previously R16-5).
150	R16-103	NO FISHING, DIVING OR LOITERING	Revised nomenclature (previously R16-6).
151	R16-104	USE FLASHERS BELOW () MPH	Revised nomenclature (previously R16-8).
W-Series			
1	W1-1L	LEFT TURN SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
2	W1-1R	RIGHT TURN SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
3	W1-1LR	LEFT TURN WITH SIDE ROAD RIGHT SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36 size
4	W1-1LS	LEFT TURN WITH SIDE ROAD STRAIGHT AHEAD SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36 size
5	W1-1RL	RIGHT TURN WITH SIDE ROAD LEFT SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36 size
6	W1-1RS	RIGHT TURN WITH SIDE ROAD STRAIGHT AHEAD SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36 size
7	W1-2L	LEFT CURVE SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
8	W1-2R	RIGHT CURVE SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
9	W1-3L	LEFT REVERSE TURN SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
10	W1-3R	RIGHT REVERSE TURN SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
11	W1-4L	LEFT REVERSE CURVE SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
12	W1-4R	RIGHT REVERSE CURVE SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
13	W1-4BL	TWO-LANE LEFT REVERSE CURVE SIGN	Revised justification (added reference to MUTCD Chapter 2C)
14	W1-4BR	TWO-LANE RIGHT REVERSE CURVE SIGN	Revised justification (added reference to MUTCD Chapter 2C)
15	W1-5L	LEFT WINDING ROAD SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
16	W1-5R	RIGHT WINDING ROAD SIGN	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36, 18x18 sizes
17	W1-5-1	WINDING ROAD NEXT () MILES SIGN	Revised justification (added reference to MUTCD Chapter 2C)
18	W1-6	LARGE SINGLE ARROW SIGN	Revised justification (added 2C.12 Para 7 & reference to MUTCD Chapter 2C), added 24x12 size
19	W1-7	LARGE DOUBLE ARROW SIGN	Revised justification (added MUTCD Section 2C.47 Para 4), added 24x12 size
20	W1-8	CHEVRON ALIGNMENT SIGN	Revised justification (added reference to MUTCD Chapter 2C, added 2C.09 P4 2nd sent)
21	W1-10L	LEFT CURVE RIGHT SIDE ROAD SIGN	Revised justification (added reference to MUTCD Chapter 2C), removed 30x30 size, added 36x36 size.
22	W1-10R	RIGHT CURVE LEFT SIDE ROAD SIGN	Revised justification (added reference to MUTCD Chapter 2C), removed 30x30 size, added 36x36 size.
23	W1-10BL	LEFT CURVE - DIVERGING MINOR RIGHT SIDE ROAD SIGN	Revised nom (prev W1-2LRA) & justification (added reference to MUTCD Chapter 2C), added 36x36 size
24	W1-10BR	RIGHT CURVE - DIVERGING MINOR LEFT SIDE ROAD SIGN	Revised nom (prev W1-2RLA) & justification (added reference to MUTCD Chapter 2C), added 36x36 size
25	W1-10CL	LEFT CURVE - CONVERGING MINOR RIGHT SIDE ROAD SIGN	Revised nom (prev W1-2LRB) & justification (added reference to MUTCD Chapter 2C), added 36x36 size
26	W1-10CR	RIGHT CURVE - CONVERGING MINOR LEFT SIDE ROAD SIGN	Revised nom (prev W1-2RLB) & justification (added reference to MUTCD Chapter 2C), added 36x36 size
27	W1-11L	HORSESHOE CURVE (LEFT)	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36 size
28	W1-11R	HORSESHOE CURVE (RIGHT)	Revised justification (added reference to MUTCD Chapter 2C) & added 36x36 size
29	W1-13L	TRUCK ROLLOVER LEFT CURVE SIGN	Revised justification (add ball-bank requirement).
30	W1-13R	TRUCK ROLLOVER RIGHT CURVE SIGN	Revised justification.
31	W2-1	CROSS ROAD	Added 36x36 and 18x18 sizes
32	W2-2	SIDE ROAD	Added 36x36 and 18x18 sizes

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
33	W2-3L	45 DEGREE SIDE ROAD LEFT	Added 36x36 and 18x18 sizes
34	W2-3R	45 DEGREE SIDE ROAD RIGHT	Added 36x36 and 18x18 sizes
35	W2-3-1L	CURVE - SIDE ROAD LEFT	Added 36x36 size
36	W2-3-1R	CURVE - SIDE ROAD RIGHT	Added 36x36 size
37	W2-4	"T" SYMBOL	Added 36x36 and 18x18 sizes
38	W2-5	"Y" SYMBOL	Added 36x36 and 18x18 sizes
39	W2-5-1L	"Y" SYMBOL SECONDARY LEFT	Added 36x36 size
40	W2-5-1R	"Y" SYMBOL SECONDARY RIGHT	Added 36x36 size
41	W2-6	CIRCULAR INTERSECTION	Revised justification (added MUTCD Section 2C.46 Para 3)
42	W2-7L	OFFSET SIDE ROADS LEFT SIGN	Revised nomenclature (previously W2-1-1L) and added 36x36 size
43	W2-7R	OFFSET SIDE ROADS RIGHT SIGN	Revised nomenclature (previously W2-1-1R) and added 36x36 size
44	W2-8	DOUBLE SIDE ROAD SIGN	Revised nomenclature (previously W2-8) and added 36x36 size
45	W3-1	STOP AHEAD SIGN	Removed reference to MUTCD Table 2C-4, added 18x18 size.
46	W3-2	YIELD AHEAD SIGN	Revised just (added MUTCD Sec 2C.40 P10), removed ref to MUTCD Table 2C-4, added 18x18 size.
47	W3-3	SIGNAL AHEAD SIGN	Removed reference to MUTCD Table 2C-4, added 18x18 size.
48	W3-5	SPEED REDUCTION SIGN	Removed 30x30 size.
49	W4-4P	CROSS TRAFFIC DOES NOT STOP PLAQUE	Revised justification (references to other signs nomenclatures)
50	W4-4APL	TRAFFIC FROM LEFT DOES NOT STOP PLAQUE	Revised nomenclature (previously W4-4A) & justification (to match MUTCD Section 2B.05 Para 8)
51	W4-4APR	TRAFFIC FROM RIGHT DOES NOT STOP PLAQUE	NEW SIGN
52	W4-4BP	ONCOMING TRAFFIC DOES NOT STOP PLAQUE	Revised nomenclature (previously W4-4B) & justification (to match MUTCD Section 2B.05 Para 8)
53	W4-5	ENTERING ROADWAY MERGE	NEW SIGN
54	W4-5P	NO MERGE AREA PLAQUE	NEW SIGN
55	W5-1	ROAD NARROWS SIGN	Revised justification (added MUTCD Section 2C.19 Para 2)
56	W5-3	ONE LANE BRIDGE	Revised justification (to match MUTCD Section 21 Para 1)
57	W6-1	DIVIDED HIGHWAY - DIVIDED HIGHWAY ENDS	Revised justification (added MUTCD Section 2C.22 P2)
58	W7-1	HILL	Revised nomenclature references for W7-3 plaques & added 36x36 size
59	W7-3P	GRADE PLAQUE	Revised nomenclature (previously W7-3P).
60	W7-3AP	NEXT () MILES PLAQUE	Revised nomenclature (previously W7-3A).
61	W7-3BP	() GRADE/() MILES PLAQUE	Revised nomenclature (previously W7-3B).
62	W7-4	ADVANCE RUNAWAY TRUCK RAMP	Revise nomenclature references to W7-4DP, EP & FP
63	W7-4B	RUNAWAY TRUCK RAMP EXIT	Revise nomenclature references to W7-4DP, EP & FP; revised size to 78x60 from 78x54
64	W7-4DP	SAND PLAQUE FOR W7-4B	Revise nomenclature (previously W7-4D)
65	W7-4EP	GRAVEL PLAQUE FOR W7-4B	Revise nomenclature (previously W7-4E)
66	W7-4FP	PAVED PLAQUE FOR W7-4B	Revise nomenclature (previously W7-4F)
67	W7-6	HILL BLOCKS VIEW	Add 36x36 size.
68	W8-1	BUMP	Add 36x36 and 18x18 sizes.
69	W8-2	DIP	Add 36x36 and 18x18 sizes.
70	W8-3	PAVEMENT ENDS	Add 36x36 size, removed 30x30 size
71	W8-4	SOFT SHOULDER	Add 36x36 size.

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
72	W8-5P	SLIPPERY WHEN WET PLAQUE	Revised nomenclature (previously W8-5A).
73	W8-7	LOOSE GRAVEL	Add 36x36 size.
74	W8-8	ROUGH ROAD	Add 36x36 size.
75	W8-9	LOW SHOULDER	Add 36x36 size.
76	W8-14	FALLEN ROCKS	Revised nomenclature (W8-17) & name (prev. FALLING ROCK), Added 36x36 size
77	W8-15	GROOVED PAVEMENT	Revised nomenclature (previously W8-14) & message
78	W8-17P	SHOULDER DROP-OFF PLAQUE	NEW SIGN
79	W8-18	ROAD MAY FLOOD	Revised nomenclature references to W16-2 and W16-3A plaques.
80	W8-21	GUSTY WINDS AREA	NEW SIGN. Replaces W14-14 HIGH CROSS WINDS
81	W8-22	FOG AREA SIGN	Revised nomenclature (previously W14-10).
82	W8-101	RUMBLE STRIPS AHEAD	Revised nomenclature (previously W8-15).
83	W8-102	CENTER LINE RUMBLE STRIPS	Revised nomenclature (previously W8-15-1) & added 36x36 size
84	W8-103	OPEN GRATE BRIDGE	Revised nomenclature (previously W8-16) & added 36x36 size
85	W8-104	WATCH FOR ICE	Revised nomenclature (previously W8-19).
86	W8-105	WATCH FOR MUD	Revised nomenclature (previously W8-20).
87	W8-106	MUD SLIDE AREA	Revised nomenclature (previously W8-20-1).
88	W8-107	SLIPPERY WINTER CONDITIONS	Revised nomenclature (previously W8-21).
89	W8-108&108P	ANTI-ICING IN PROGRESS & WHEN FLASHING PLAQUE	Revised nomenclature (previously W8-22&22P).
90	W9-1L	LEFT LANE ENDS	Revised justification (added Sec 2C.42 Para 3)
91	W9-1R	RIGHT LANE ENDS	Revised justification (added Sec 2C.42 Para 3)
92	W9-3A	CENTER LANE MUST SHIFT LEFT	Added 36x36 size
93	W10-1	RAILROAD WARNING SIGN	Revised justification (added MUTCD Sect 8B.06 Para 3 2nd Sentence), added 24" size
94	W10-1AP	EXEMPT RAILROAD WARNING SIGN	Revised nomenclature (previously W10-1A)
95	W10-5P	LOW GROUND CLEARANCE HIGHWAY-RAIL GRADE XING PLAQUE	Revised nomenclature (previously W10-5-1)
96	W10-9P	NO TRAIN HORN PLAQUE	Revised nomenclature (previously W10-9)
97	W11-1	BICYCLE	Added 36x36 & 18x18 sizes; revised reference to W16-2 plaque
98	W11-2	PEDESTRIAN	Revised justification (added MUTCD Section 2C.50 P6) & Added 36x36 & 18x18 sizes; revised reference to W16-2 plaque
99	W11-2A	RAISED PEDESTRAIN CROSSING	Added 36x36 size, Removed reference to Pub 383 in justification
100	W11-2B	HIKER CROSSING	Added 36x36 size
101	W11-3	DEER CROSSING	Added 36x36 size
102	W11-4	CATTLE CROSSING	Added 36x36 size; revised reference to W16-2 plaque
103	W11-5	FARM MACHINERY SIGN	Added 36x36 size
104	W11-6	SNOWMOBILE CROSSING	Added 36x36 size
105	W11-6-1	ATV CROSSING	Added 36x36 size
106	W11-7	EQUESTRIAN CROSSING	Added 36x36 size
107	W11-8	FIRE STATION	Revise justification (Added MUTCD Section 2C.49 Para 11)
108	W11-10	TRUCK CROSSING	Revised symbol to match MUTCD, added 36x36 size
109	W11-11	GOLF CART CROSSING	Added 36x36 size
110	W11-12	PLANT ENTRANCE	Added 36x36 size
111	W11-12P	ENERGENCY SIGNAL AHEAD PLAQUE	NEW SIGN

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
112	W11-13	PARK ENTRANCE	Added 36x36 size
113	W11-14	HORSEDRAWN VEHICLE	Added 36x36 size
114	W11-15	BICYCLE / PED symbol sign	NEW SIGN
115	W11-15P	TRAIL X-ING plaque	NEW SIGN
116	W11-15	COUNTY HOME	REMOVED SIGN
117	W11-15-1	SENIOR CITIZEN CENTER	REMOVED SIGN
118	W11-20	ELK CROSSING	Revised nomenclature (previously W11-3A); Added 36x36 size
119	W11-26	DUCK CROSSING	Added 36x36 size
120	W11-28	CEMETERY ENTRANCE	Added 36x36 size
121	W11-101	HOSPITAL	Revised nomenclature (previously W11-16) & added 36x36 size
122	W11-102	CHURCH	Revised nomenclature (previously W11-17) & added 36x36 size
123	W11-103	HIDDEN DRIVEWAY	Revised nomenclature (previously W11-19A) & added 36x36 size
124	W11-104	BRIDLE PATH	Revised nomenclature (previously W11-20) & added 36x36 size
125	W11-105	LEFT TURNS AND CROSS TRAFFIC	Revised nomenclature (previously W11-21)
126	W11-106	LEFT TURNS	Revised nomenclature (previously W11-21-1)
127	W11-107	WATCH FOR TURNS	Revised nomenclature (previously W11-21-2)
128	W11-108	HEARING IMPAIRED CHILD	Revised nomenclature (previously W11-22A)
129	W12-2	LOW CLEARANCE SIGN	Removed reference to Pub 68 from justification, revised justification
130	W12-2A	LOW CLEARANCE (OVERHEAD)	Revised nomenclature (previously W12-2P); justification and sizes
131	W13-1P	ADVISORY SPEED PLAQUE	Revised nomenclature (previously W13-1) & justification (added reference to MUTCD Chapter 2C)
132	W13-2	ADVISORY EXIT SPEED SIGN	Revised justification (added reference to MUTCD Chapter 2C)
133	W13-3	ADVISORY RAMP SPEED SIGN	Revised justification (added reference to MUTCD Chapter 2C)
134	W14-2	NO OUTLET	Added 36x36 size
135	W14-2AL	NO OUTLET WITH ARROW	NEW SIGN
136	W14-2AR	NO OUTLET WITH ARROW	NEW SIGN
137	W14-5	NO WINTER MAINTENANCE	Added 36x36 size
138	W14-8	NEW TRAFFIC PATTERNS AHEAD	REMOVED SIGN. Replaced with W23-2
139	W15-1	PLAYGROUND	Added 36x36 and 18x18 sizes
140	W15-2	WATCH CHILDREN	Added 36x36 size
141	W16-2P	() FEET PLAQUE	REMOVED SIGN. Replaced with W16-103P
142	W16-3AP	() MILES PLAQUE	REMOVED SIGN. Replaced with W16-103P
143	W16-4P	() FEET PLAQUE	NEW SIGN
144	W16-5PL	90 DEGREE TURN - LEFT PLAQUE	NEW SIGN
145	W16-5PR	90 DEGREE TURN - RIGHT PLAQUE	NEW SIGN
146	W16-6PL	ADVANCE 90 DEGREE TURN - LEFT PLAQUE	NEW SIGN
147	W16-6PR	ADVANCE 90 DEGREE TURN - RIGHT PLAQUE	NEW SIGN
148	W16-7P	DIAGONAL DOWNWARD POINTING ARROW PLAQUE	Revised justification (per MUTCD 2C.53 P1 & 2C.54 P 1)
149	W16-8P	SINGLE-LINE ADVANCE STREET NAME SIGN	Revised nomenclature (previously W16-8).
150	W16-8AP	DOUBLE-LINE ADVANCE STREET NAME SIGN	Revised nomenclature (previously W16-8A) & justification
151	W16-9P	AHEAD PLAQUE	Revised nomenclature (previously W16-9) & justification
152	W16-10AP	PHOTO ENFORCED PLAQUE	Revised nomenclature (previously W16-10), added 24x18 & 36x30 sizes, removed 30x24 size

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
153	W16-10-1	RED LIGHT PHOTO ENFORCED	Revised nomenclature (previously W16-10A).
154	W16-17P	ROUNDBOUT plaque	NEW SIGN
155	W16-101	SHARE THE ROAD	Revised nomenclature (previously W16-1) & added 36x36 size
156	W16-102P	CONSPICUITY PLAQUE	NEW SIGN
157	W16-103P	DISTANCE AHEAD PLAQUE	Revised nomenclature, name (prev. R12-1-1 _ MILES AHEAD) & justification
158	W17-1	SPEED HUMP	Added 36x36 size and removed reference to PennDOT Traffic Calming Handbook in justification.
159	W19-1	FREEWAY ENDS XX MILES	NEW SIGN
160	W19-2	EXPRESSWAY ENDS XX MILES	NEW SIGN
161	W19-3	FREEWAY ENDS SIGN	Revised nomenclature (previously W6-7), revised references to W16-2P and W16-3AP
162	W19-4	EXPRESSWAY ENDS SIGN	Revised nomenclature (previously W6-5), revised references to W16-2P and W16-3AP
163	W20-7	FLAGGER SYMBOL	Revised nomenclature (previously W20-7A), revised reference to W16-2P
164	W20-10A	BE PREPARED TO STOP NEXT () MI	Revised nomenclature reference to sign W7-3A (now W7-3AP)
165	W20-13	TUNNEL TEMPORARILY CLOSED	Added 36x36 size
166	W20-101	LANES BLOCKED AHEAD	NEW SIGN
167	W20-102	TRAFFIC ENFORCEMENT ZONE	NEW SIGN
168	W20-103	ARROW SIGN	Revised nomenclature (previously W20-8) & added 36x36 size
169	W21-2-1	TRAVEL AT YOUR OWN RISK	Revised nomenclature reference to sign W13-1 (now W13-1P)
170	W21-5	SHOULDER WORK	Added 36x36 size
171	W21-10	STOP AND SLOW PADDLE	Revised reference to Flagger Symbol nomenclature & removed reference to Pub 213
172	W21-11	BRIDGE INSPECTION AHEAD SIGN	Removed reference to Pub 203M in justification.
173	W21-15	COUNTER INSTALLATION AHEAD	Removed reference to Pub 203M in justification.
174	W21-101	RAMP WORK AHEAD	Revised nomenclature (previously W21-4-1B).
175	W21-102	WORK AREA AHEAD	Revised nomenclature (previously W21-8).
176	W21-103	RECTANGULAR WORK AREA AHEAD	Revised nomenclature (previously W21-8-1).
177	W23-2	NEW TRAFFIC PATTERN AHEAD	NEW SIGN
178	W23-101	THIS BRIDGE TO BE CLOSED FOR MAINTENANCE SIGN	Revised nomenclature (previously W23-1).
179	W23-102	ROAD TO BE OILED NEXT WEEK SIGN	Revised nomenclature (previously W23-2).
180	W23-103	END OF PROPOSED OILING	Revised nomenclature (previously W23-3).
181	W25-1	ONCOMING TRAFFIC HAS EXTENDED GREEN	NEW SIGN
182	W25-2	ONCOMING TRAFFIC MAY HAVE EXTENDED GREEN	NEW SIGN
183	W25-101	INCIDENT AHEAD	Revised nomenclature, name & message (previously W25-1 ACCIDENT / EMERGENCY AHEAD).
184	W25-102	TRUCK INSPECTION AHEAD	Revised nomenclature (previously W25-2).
185	W35-1	SAFETY CORRIDOR - FINES DOUBLED NEXT XX MILES	NEW SIGN
186	W35-2	END FINES DOUBLED CORRIDOR	NEW SIGN

Other Series

1	G20-5AP	WORK ZONE PLAQUE	NEW SIGN
2	M4-5	TO MARKER	Revised justification (added Section 2D.21 P2 2nd sentence)
3	M4-5-1	INTERSTATE TO MARKER	Revised justification (added Section 2D.21 P2 2nd sentence)
4	M4-9A	BIKE / PEDESTRIAN DETOUR	NEW SIGN
5	M4-9B	PEDESTRIAN DETOUR	NEW SIGN

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
6	M4-9C	BIKE DETOUR	NEW SIGN
7	M4-9-1AL	LEFT ADVANCE 45 DEGREE DETOUR SIGN	Revised nomenclature (previously M4-9AL)
8	M4-9-1AR	RIGHT ADVANCE 45 DEGREE DETOUR SIGN	Revised nomenclature (previously M4-9AR)
9	M4-9-1BL	LEFT 45 DEGREE DETOUR SIGN	Revised nomenclature (previously M4-9BL)
10	M4-9-1BR	RIGHT 45 DEGREE DETOUR SIGN	Revised nomenclature (previously M4-9BR)
11	M4-10L	DETOUR ARROW (LEFT)	Removed 36"x12" size which is not in the MUTCD.
12	M4-10R	DETOUR ARROW (RIGHT)	Removed 36"x12" size which is not in the MUTCD.
13	M4-10S	DETOUR ARROW (STRAIGHT)	Removed 36"x12" size which is not in the MUTCD.
14	M4-14-1	BEGIN SIGN (SUPPLEMENTAL PLAQUE FOR BICYCLE ROUTE)	Revised nomenclature (previously M4-11)
15	M5-3	CURVED STEM ADVANCE TURN ARROW	NEW SIGN
16	D3-1	STREET NAME SIGN	Revised lettering size text and sign dimensions table; added color options
17	D3-2	SINGLE-LINE ADVANCE STREET NAME SIGN	Adding MUTCD Section 2D.44 Para. 9 and 2nd sentence of Para. 10)
18	D3-3	DOUBLE-LINE ADVANCE STREET NAME SIGN	Adding MUTCD Section 2D.44 Para. 9 and 2nd sentence of Para. 10)
19	D3-4	SINGLE-LINE OVERHEAD STREET NAME SIGN	Revised justification, added Variesx24 size, revised sizes
20	D3-5	DOUBLE-LINE OVERHEAD STREET NAME SIGN	Revised justification, added Variesx42 size, revised sizes
21	D9-10	VISITOR INFORMATION SYMBOL SIGN	Revised sign message to match MUTCD sign message.
22	D10-1	SINGLE-DIGIT REFERENCE LOCATION SIGN	Changed name and all references of "Distance Marker" to "Reference Location Sign"
23	D10-1A	SINGLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN	Changed name and all references of "Distance Marker" to "Reference Location Sign"
24	D10-2	DOUBLE-DIGIT REFERENCE LOCATION SIGN	Changed name and all references of "Distance Marker" to "Reference Location Sign"
25	D10-2A	DOUBLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN	Changed name and all references of "Distance Marker" to "Reference Location Sign"
26	D10-3	TRIPLE-DIGIT REFERENCE LOCATION SIGN	Changed name and all references of "Distance Marker" to "Reference Location Sign"
27	D10-3A	TRIPLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN	Changed name and all references of "Distance Marker" to "Reference Location Sign"
28	D10-4	ENHANCED REFERENCE LOCATION SIGN	REMOVED SIGN. Replaced with D10-5
29	D10-5	ENHANCED REFERENCE LOCATION WITH DECIMAL SIGN	NEW SIGN
30	D13-3AL	FREEWAY ENTRANCE LEFT SIGN	NEW SIGN
31	D13-3AR	FREEWAY ENTRANCE RIGHT SIGN	NEW SIGN
32	D14-101	EMERGENCY DETOUR - FOLLOW (COLOR) ARROW	Revised nomenclature (previously D14-1)
33	D14-102	EMERGENCY DETOUR - (COLOR) TRAILBLAZER SIGN	Revised nomenclature (previously D15-1)
34	D14-103	ALL TRAFFIC MUST EXIT	Revised nomenclature (previously D16-1)
35	I1-1	TRAFFIC SIGNAL SPEED SIGN	Revised size to 24"x36" from 12"x18."
36	I12-1-3	END PLAQUE	REMOVED SIGN
37	S1-1	SCHOOL	Added size 48x48, added MUTCD 7B.01 P5 to Size write-up, removed Yellow background color option, added options (7B.09 P2, 7B.11 P1-3, 7B.12 P1)
38	S3-1	SCHOOL BUS STOP AHEAD	Added size 48x48, added MUTCD 7B.01 P5 to Size write-up, removed Yellow background color option, revised sign message to match MUTCD
39	S3-2	SCHOOL BUS TURN AHEAD	Revised Nomenclature & name (prev. S1-1-1, School Bus Turn Around), changed background from yellow to FYG, add 36x36 & 48x48 sizes, added MUTCD 7B.01 P5 to Size write-up

PennDOT Publication 236 Revision Log

No.	New Nomenclature	Sign Name	CHANGE
40	S3-3	SCHOOL BUS CROSSING	Changed background color from Yellow to FYG, added MUTCD 7B.01 P5 to Size write-up
41	S4-3P	SCHOOL PANEL	Changed nomenclature (previously S4-3), added 36x12 size, added MUTCD 7B.01 P5 to Size write-up, removed yellow background option, removed paragraph about R2-5 sign, added option (7B.09 P2)
42	S4-4P	WHEN FLASHING	Changed nomenclature (previously S4-4), added 36x18 size, added MUTCD 7B.01 P5 to Size write-up, removed yellow background option
43	S4-5	REDUCED SPEED (SCOO) ZONE AHEAD	Revised justification (per MUTCD 7B.16 P 1), added MUTCD 7B.01 P5 to Size write-up, removed Yellow background option, added 30x30 size
44	S5-2	END SCHOOL ZONE	Changed nomenclature of S4-3 sign reference in justification (added "P" to the justification), added MUTCD 7B.01 P5 to Size write-up
45	OM-3L	LEFT CLEARANCE MARKER	Removed Material Notes in justification.
46	OM-3R	RIGHT CLEARANCE MARKER	Removed Material Notes in justification.

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
GEN NOTES	GENERAL NOTES SHEET							
R 1-1	STOP		30" x 30"	36" x 36"	48" x 48"		24" x 24"	18" x 18"
R 1-1A	RIGHT LANE KEEP MOVING		24" x 30"	30" x 36"				
R 1-1-2	RAMP		36" x 18"		48" x 24"			
R 1-1-3	RAMP STOP		36" x 48"		48" x 60"			
R 1-1-4	RAMP YIELD		36" x 48"		48" x 60"			
R 1-2	YIELD		36" x 36"	48" x 48"	60" x 60"			18" x 18"
R 1-2AP	TO ONCOMING TRAFFIC PLAQUE (for R 1-2)		24" x 18"					
R 1-3P	ALLWAY PLAQUE		18" x 6"					
R 1-4-1	STOP SIGN REMOVED FROM SIDE STREET		18" x 24"					
R 1-5L	YIELD HERE TO PEDESTRIAN WITH LEFT ARROW		36" x 36"					
R 1-5R	YIELD HERE TO PEDESTRIAN WITH RIGHT ARROW		36" x 36"					
R 1-6	IN - STREET PEDESTRIAN CROSSING		12" x 36"					
R1-9	OVERHEAD PEDESTRIAN CROSSING		90" x 24"					
R 1-10P	EXCEPT RIGHT TURN PLAQUE		24" x 18"					
R 2-1	SPEED LIMIT		24" x 30"	30" x 36"	48" x 60"			
R 2-2-1	TRUCKS OVER (____) LBS. SPEED		30" x 36"		36" x 48"			
R2-6P	FINES HIGHER PLAQUE		24" x 18"		48" x 36"		36" x 24"	
R2-6AP	FINES DOUBLE PLAQUE		24" x 18"		48" x 36"		36" x 24"	
R 2-9	NEXT (____)		30" x 18" / 36" x 24" / 48" x 30" *					
R2-10	BEGIN HIGHER FINES ZONE		24" x 30"		48" x 60"		36" x 48"	
R2-11	END HIGHER FINES ZONE		24" x 30"		48" x 60"		36" x 48"	
R 2-15	MAINTAIN SPEED THRU TUNNELS				60" x 60"			
R 2-101	TRUCK & BUS PLAQUE		24" x 24" / 36" x 24" / 48" x 36" *					
R 3-1	NO RIGHT TURN		24" x 24"	36" x 36"		48" x 48"	30" x 30"	
R 3-2	NO LEFT TURN		24" x 24"	36" x 36"		48" x 48"	30" x 30"	
R 3-3	NO TURNS		24" x 24"	36" x 36"		48" x 48"		
R 3-3-3	NO TURNS FROM SHOULDER		24" x 30"					
R 3-4	NO U-TURN		24" x 24"	36" x 36"		48" x 48"	30" x 30"	
R3-5A	STRAIGHT-THROUGH		30" x 36"					
R 3-5L	LEFT TURN		30" x 36"					
R 3-5R	RIGHT TURN		30" x 36"					
R 3-5-1	U-TURN OK		24" x 24"	36" x 36"	48" x 48"			
R 3-6LR	OPTIONAL LEFT OR RIGHT TURN		30" x 36"					
R 3-6LS	OPTIONAL LEFT TURN		30" x 36"					
R 3-6LSR	OPTIONAL LEFT, STRAIGHT & RIGHT TURN		30" x 36"					
R 3-6SR	OPTIONAL RIGHT TURN		30" x 36"					
R 3-7C	CENTER LANE MUST TURN LEFT		30" x 30"	36" x 36"		48" x 48"		
R 3-7L	LEFT LANE MUST TURN LEFT		30" x 30"	36" x 36"		48" x 48"		
R 3-7LA	LEFT LANE MUST TURN LEFT (narrow)		24" x 48"					
R 3-7R	RIGHT LANE MUST TURN RIGHT		30" x 30"	36" x 36"		48" x 48"		
R 3-7RA	RIGHT LANE MUST TURN RIGHT (narrow)		24" x 48"					
R 3-7-1L	ALL TRAFFIC MUST TURN LEFT		30" x 30"	36" x 36"		48" x 48"		
R 3-7-1R	ALL TRAFFIC MUST TURN RIGHT		30" x 30"	36" x 36"		48" x 48"		
R 3-7-2	LANE MUST TURN SUPPLEMENTARY PLAQUE		30" x 30"					
R 3-8A	LANE USE CONTROL (TWO LANES) (Two Sheets)		Varies x 30"					
R 3-8B	LANE USE CONTROL (THREE LANES)		48" x 30"					
R 3-9A	TWO-WAY LEFT TURN ONLY		30" x 36"					
R 3-9B	CENTER LANE - LEFT TURN ONLY		24" x 36"			36" x 48"		
R 3-9CP	BEGIN PLAQUE		24" x 12" / 30" x 15" / 36" x 18" *					

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R 3-9DP	END PLAQUE		24" x 12" / 30" x 15" / 36" x 18" *					
R 3-10	HOV RESTRICTED LANE		30" x 42"		78" x 96"		36" x 60"	
R 3-11A	HOV PREFERENTIAL LANE		30" x 42"		78" x 96"		42" x 60"	
R 3-12	HOV PREFERENTIAL LANE AHEAD		30" x 42"		48" x 84"		36" x 60"	
R 3-12A	HOV PREFERENTIAL LANE ENDS		30" x 42"		48" x 84"		36" x 60"	
R 3-15	HOV PREFERENTIAL LANE AHEAD OVERHEAD		66" x 36"		102" x 60"		84" x 48"	
R 3-15B	HOV PREFERENTIAL LANE ENDS OVERHEAD		66" x 36"		102" x 60"		84" x 48"	
R 3-17	BIKE LANE		30" x 24"					
R3-20L	BEGIN LEFT TURN LANE		24" x 36"					
R3-20R	BEGIN RIGHT TURN LANE		24" x 36"					
R 3-23	ALL TURNS FROM RIGHT LANE		60" x 48"			96" x 48"		
R3-23A	U TURN FROM RIGHT LANE		60" x 36"					
R 3-24	ALL TURNS (45° ARROW)		72" x 18"					
R3-24A	U AND LEFT TURNS (45° ARROW)		60" x 24"					
R3-24B	U TURN (45° ARROW)		72" x 18"					
R3-25	ALL TURNS (RIGHT ARROW)		72" x 18"					
R3-25A	U AND LEFT TURNS (RIGHT ARROW)		60" x 24"					
R3-25B	U TURN (RIGHT ARROW)		72" x 18"					
R3-26	U AND LEFT TURNS (STRAIGHT ARROW)		60" x 24"					
R3-26A	U TURN (STRAIGHT ARROW)		72" x 18"					
R 3-101P	EXCEPT BUSES PLAQUE		24" x 18" / 30" x 24" *					
R 3-102P	TRUCKS OVER () FEET LONG PLAQUE		24" x 18" / 30" x 24" *					
R 3-103	PREFERENTIAL LANE		72" x 60"		108" x 84"		96" x 72"	
R 4-1	DO NOT PASS		24" x 30"		48" x 60"		36" x 48"	12" x 18"
R 4-1A	NO PASSING ZONE AHEAD		36" x 48"					
R 4-2	PASS WITH CARE		24" x 30"		48" x 60"		36" x 48"	12" x 18"
R 4-4	RIGHT TURN LANE / BIKES		36" x 30"					
R 4-5	TRUCKS USE RIGHT LANE		24" x 30"		48" x 60"		36" x 48"	
R 4-6	TRUCK LANE () FEET		24" x 30"		48" x 60"		36" x 48"	
R 4-7	KEEP RIGHT		24" x 30"		48" x 60"		36" x 48"	12" x 18"
R 4-7B	KEEP RIGHT WITH 30° ARROW		24" x 30"		48" x 60"		36" x 48"	
R4-7C	KEEP RIGHT (NARROW)		18" x 30"					
R 4-8	KEEP LEFT		24" x 30"		48" x 60"		36" x 48"	
R 4-8B	KEEP LEFT WITH 30° ARROW		24" x 30"		48" x 60"		36" x 48"	
R4-8C	KEEP LEFT (NARROW)		18" x 30"					
R 4-9	STAY IN LANE		24" x 30"		48" x 60"		36" x 48"	
R 4-10	RUNAWAY VEHICLES ONLY		48" x 48"					
R 4-10-1	FORM SINGLE LANE			24" x 30"	36" x 48"			
R 4-11	BICYCLES MAY USE FULL LANE		30" x 30"					
R 4-16	KEEP RIGHT EXCEPT TO PASS	18" x 24"	24" x 30"		48" x 60"		36" x 48"	12" x 18"
R 4-20	THRU TRAFFIC STAY LEFT				60" x 60"			
R 4-101	LEFT LANE NO BUSES				48" x 60"			
R 4-102	LEFT LANE NO TRUCKS	24" x 30"		30" x 36"	48" x 60"			
R 4-103	NO TRUCKS BUSES TRAILERS LEFT LANE				48" x 60"			
R 4-104	TRUCKS BUSES RIGHT LANE ONLY				48" x 60"			
R 4-105	TRUCK MINIMUM SPEED LIMIT			84" x 78"	102" x 96"			
R 4-106	ENTER HERE		24" x 30"			36" x 48"		
R 4-107	KEEP OFF SHOULDER		30" x 30"					
R 5-1	DO NOT ENTER		30" x 30"	36" x 36"	48" x 48"			
R 5-1A	WRONG WAY		36" x 24"	48" x 30"				

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN							
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path	
			Single Lane	Multi-Lane					
R 5-2	NO TRUCK		24" x 24"		36" x 36"	48" x 48"	30" x 30"		
R 5-2-3	EXCEPT LOCAL DELIVERIES (for R5-2, R12-1, R12-5A)		24" x 18" / 36" x 30" / 48" x 36" *						
R 5-2-4	TRUCK WEIGHT(LENGTH) RESTRICTION PANEL (for R5-2)		24" x 12"						
R 5-2-5	EXCEPT LOCAL TRAFFIC		30" x 30"						
R 5-3	NO MOTOR VEHICLES		24" x 24"					24" x 24"	
R 5-3-1	MOTOR VEHICLES ONLY		24" x 30"						
R 5-3-1A	MOTOR VEHICLES AND BICYCLES ONLY				36" x 48"				
R 5-3-1B	BICYCLES MUST USE SHOULDER				48" x 48"				
R 5-3-1C	ALL BICYCLES MUST EXIT				48" x 48"				
R 5-3-1D	BICYCLE RESTRICTIONS				36" x 24"				
R 5-3-2	PEDESTRIANS ONLY		24" x 12"						
R 5-3-4	NO TRUCKS OR BUSES		30" x 24"						
R 5-3-5	NO RV'S BEYOND THIS POINT		30" x 30"	36" x 36"					
R 5-6	NO BICYCLES		24" x 24"				30" x 30"	18" x 18"	
R 5-10C	NO PEDESTRIANS		24" x 12"						
R 5-20	FLAM LIQ & EXP LOADS PROHIBITED IN TUNNEL				48" x 72"				
R 5-20-1	FLAM LIQ & EXP LOADS MUST USE NEXT EXIT				48" x 72"				
R 5-21	HAZARDOUS LOADS WITH PLACARDS PROHIBITED				48" x 60"				
R 5-21-1	HAZARDOUS MATERIALS MUST FOLLOW DETOUR				48" x 60"				
R 5-101	EMERGENCY AND AUTHORIZED VEHICLES ONLY				24" x 30"				
R 5-102	SEMITRAILER MINIMUM UNDERCLEARANCE		60" x 60"						
R 5-103	VEHICLES OVER (____) (____) FOLLOW		36" x 48"						
R 5-104	VEHICLES OVER (____) TONS NO TURNS		36" x 48"						
R 5-105	SNOW EMERGENCY ROUTE		36" x 48"						
R 6-1L	HORIZONTAL LEFT ONE-WAY		36" x 12"	54" x 18"					
R 6-1R	HORIZONTAL RIGHT ONE-WAY		36" x 12"	54" x 18"					
R 6-2L	VERTICAL LEFT ONE-WAY	18" x 24"	24" x 30"	30" x 36"					
R 6-2R	VERTICAL RIGHT ONE-WAY	18" x 24"	24" x 30"	30" x 36"					
R 6-3	DIVIDED HIGHWAY CROSSING		30" x 24"		36" x 30"				
R 6-3A	DIVIDED HIGHWAY SIDEROAD CROSSING		30" x 24"		36" x 30"				
R 6-4	ROUNDAABOUT DIRECTIONAL (2 CHEVRONS)		30" x 24"						
R 6-4A	ROUNDAABOUT DIRECTIONAL (3 CHEVRONS)		48" x 24"						
R 6-4B	ROUNDAABOUT DIRECTIONAL (4 CHEVRONS)		60" x 24"						
R 6-6	BEGIN ONE-WAY		24" x 30"	30" x 36"		36" x 48"			
R 6-7	END ONE-WAY		24" x 30"	30" x 36"		36" x 48"			
R 7-2	NO PARKING RESTRICTED HOURS		12" x 18"						
R 7-3-1	NO PARKING RESTRICTED DAYS		12" x 18"						
R 7-4	NO STANDING ANY TIME		12" x 18"						
R 7-4A	NO STOPPING OR STANDING		12" x 18"			24" x 36"			
R 7-5	LIMITED TIME PARKING		12" x 18"						
R 7-6-1	NO PARKING LOADING ZONE		12" x 18"						
R 7-8	RESERVED PARKING		12" x 18"						
R 7-8F	RESERVED PARKING PENALTIES		12" x 18"						
R 7-8P	VAN ACCESSIBLE PLAQUE		12" x 6"						
R 7-8-1	RESERVED PARKING-STATE POLICE ONLY		12" x 18"						
R 7-8-2	RESERVED PARKING EDUCATIONAL PLAQUE (for R7-8)		12" x 10"						
R 7-8-3	PERMIT PARKING FOR GOVERNOR'S RESIDENCE		12" x 18"						
R 7-9	ONE HOUR PARKING EXCEPT TURNPIKE EMPLOYEES		12" x 18"						
R 7-10	TEMPORARY NO PARKING		12" x 18"						
R7-100	NO IDLING		24" x 24"			48" x 48"			

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN							
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path	
			Single Lane	Multi-Lane					
R 7-107A	NO PARKING BUS STOP		12" x 30"						
R 7-201AP	TOW-AWAY ZONE PLAQUE		12" x 6"						
R 7-203-1	SNOW EMERGENCY ROUTE NO PARKING		18" x 24"						
R 7-203-2	NO PARKING UNTIL SNOW IS REMOVED		12" x 18"						
R 7-301	NO PARKING ARROW PLAQUE (for R8-3)	12" x 6"	24" x 12"	36" x 18"					
R 7-302	NO PARKING SYMBOL / ARROW		12" x 18"						
R 8-3	NO PARKING SYMBOL		12" x 12" / 24" x 24" **		48" x 48"		36" x 36"		
R 8-3CP	NO PARKING ON PAVEMENT PLAQUE	12" x 12"	24" x 18"						
R 8-3GP-1	NO PARKING LOADING ZONE PLAQUE	12" x 12"	24" x 18"						
R 8-3HP-1	NO PARKING RESTRICTED HOURS PLAQUE (for R8-3)	12" x 12"	24" x 18"						
R 8-4	EMERGENCY PARKING ONLY		30" x 24"		48" x 36"				
R 8-5	NO STOPPING ON PAVEMENT		24" x 30"		48" x 60"		36" x 48"		
R 8-7	EMERGENCY STOPPING ONLY		30" x 24"		48" x 36"				
R 8-8	DO NOT STOP ON TRACKS		24" x 30"				36" x 48"		
R 8-9	TRACKS OUT OF SERVICE		36" x 36"						
R 8-20	NO STOPPING ON BRIDGE		18" x 24"				24" x 30"		
R 9-1	WALK ON LEFT FACING TRAFFIC		18" x 24"						
R 9-2	CROSS ONLY AT CROSSWALKS		12" x 18"						
R 9-3	NO PEDESTRIAN CROSSING		18" x 18"				24" x 24"	18" x 18"	
R 9-3BPL	USE CROSSWALK LEFT PLAQUE (for R9-3)		18" x 12"						
R 9-3BPR	USE CROSSWALK RIGHT PLAQUE (for R9-3)		18" x 12"						
R 9-4B	DO NOT PICK UP HITCHHIKERS		24" x 30"						
R 9-7	SHARED-USE PATH RESTRICTION							12" x 18"	
R 9-9	SIDEWALK CLOSED		24" x 12"			30" x 18"			
R 9-10	SIDEWALK CLOSED USE OTHER SIDE		24" x 12"			48" x 24"			
R 9-11A	SIDEWALK CLOSED CROSS HERE		24" x 12"			48" x 24"			
R10-2	CROSS ON WALK SYMBOL ONLY		9" x 12"						
R10-3	PUSH BUTTON FOR WALKING PERSON SIGNAL		9" x 12"						
R10-3B	EDUCATIONAL PUSH BUTTON FOR WALKING PERSON SIGNAL		9" x 12"						
R10-3E	EDUC. PUSH BUTTON FOR WALK SIGNAL W/ COUNTDOWN TIMER		9" x 15"						
R10-4	PUSH BUTTON FOR GREEN SIGNAL		9" x 12"						
R10-5	LEFT ON GREEN ARROW ONLY	24" x 30"	30" x 36"						
R10-6AL	STOP HERE ON RED, (LEFT)		24" x 30"						
R10-6AR	STOP HERE ON RED, (RIGHT)		24" x 30"						
R10-6-1	LEFT LANE PLAQUE		24" x 18"						
R10-7	DO NOT BLOCK INTERSECTION		24" x 30"						
R10-10L	LEFT TURN SIGNAL		30" x 36"						
R10-10R	RIGHT TURN SIGNAL		30" x 36"						
R10-11	NO TURN ON RED SYMBOL		24" x 30"	36" x 48"					
R10-11B	NO TURN ON RED SQUARE-SHAPED		36" x 36"						
R10-11C	NO TURN ON RED EXCEPT FROM RIGHT LANE		30" x 42"						
R10-12	LEFT TURN YIELD ON GREEN		30" x 36"						
R10-13	EMERGENCY SIGNAL		36" x 24"						
R10-15L	TURNING TRAFFIC MUST YIELD TO PEDESTRIANS (LEFT)		30" x 30"						
R10-15R	TURNING TRAFFIC MUST YIELD TO PEDESTRIANS (RIGHT)		30" x 30"						
R10-18	TRAFFIC LAWS PHOTO ENFORCED		36" x 24"		54" x 36"				
R10-19AP	PHOTO ENFORCED PLAQUE		24" x 18"		48" x 36"		36" x 30"		
R10-20AP	RESTRICTED HOURS PLAQUE - 24" WIDTH		12" / 18" / 24" / 30" HEIGHT *						
	RESTRICTED HOURS PLAQUE - 30" WIDTH		15" / 24" / 30" / 36" HEIGHT *						
R10-25	PUSH BUTTON TO TURN ON WARNING LIGHTS		9" x 12"						

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R10-28	ONE VEHICLE PER GREEN		30" x 36"					
R10-29	ONE VEHICLE PER GREEN EACH LANE		36" x 24"					
R10-101	NO TURN ON RED WITH ONE-LINE RESTRICTION		24" x 30"	30" x 36"				
R10-102	FORM TWO LANES WHEN METERED		84" x 42"					
R10-103	RAMP METER ON WHEN FLASHING		84" x 42"					
R 11-1	KEEP OFF MEDIAN		24" x 30"			36" x 48"		
R11-2	ROAD CLOSED		48" x 30"					
R11-2-1	BRIDGE CLOSED		48" x 30"					
R11-3A	ROAD CLOSED - LOCAL TRAFFIC ONLY		60" x 30"					
R11-3B	BRIDGE OUT - LOCAL TRAFFIC ONLY		48" x 12"					
R11-4	ROAD CLOSED TO THRU TRAFFIC		60" x 30"					
R11-6	CLOSED FOR THE SEASON		36" x 30"					
R11-7	TRUCKS KEEP OFF SHOULDER		30" x 30"					
R11-10	STREET CLOSED (___) TO (___)		18" x 24"					
R11-11	SNOWMOBILE ROAD - CLOSED TO ALL OTHER VEHICLES		36" x 24"					
R11-11-1	ATV ROAD - CLOSED TO ALL OTHER VEHICLES		36" x 24"					
R11-11-2	SNOWMOBILE - ATV ROAD/CLOSED TO ALL OTHER VEHICLES		48" x 24"					
R12-1	WEIGHT LIMIT (___) TONS		24" x 30"			36" x 48"		
R12-1A	BRIDGE LIMITED TO ONE TRUCK		36" x 30"					
R12-1-2	BRIDGE (for R12-1 & W16-103P)		24" x 12"			36" x 12"		
R12-1-3	WEIGHT LIMIT FOR SAFETY PLAQUE (for R5-2, R12-1, R12-5A)		10" x 6"					
R12-1-4	SEASONAL WEIGHT LIMIT (for R12-1)		24" x 18"			36" x 24"		
R12-5A	EXCEPT COMBINATIONS (___) TONS (for R12-1)		24" x 18"			36" x 24"		
R12-6	102-INCH WIDE TRAILER ADVANCE PROHIBITED		24" x 36" / 36" x 48" / 60" x 72" **					
R12-6A	102-INCH WIDE TRAILER PROHIBITED		24" x 24" / 36" x 36" / 60" x 48" **					
R13-1-1	ALL TRUCKS MUST ENTER WEIGH STATION		72" x 48"		120" x 84"		96" x 66"	
R13-2	ALL TRUCKS MUST ENTER REST AREA		48" x 48"					
R14-1	TRUCK ROUTE		24" x 18"					
R14-2	HAZARDOUS MATERIAL ROUTE		24" x 24"		36" x 36"	48" x 48"	30" x 30"	
R14-3	HAZARDOUS MATERIAL PROHIBITED		24" x 24"		36" x 36"	48" x 48"	30" x 30"	
R14-6	WASTE TRUCKS PROHIBITED		36" x 36"					
R14-9	BRAKE RETARDERS PROHIBITED		30" x 36"					
R14-9A	END BRAKE RETARDER PROHIBITION		36" x 30"					
R14-10	TRUCKS REDUCE GEAR		48" x 36"					
R14-11	TRUCKS OVER (___) LBS GROSS WEIGHT REDUCE GEAR		36" x 48"					
R14-12	REDUCED GEAR ZONE		30" x 30"			48" x 48"		
R14-12-1	STAY IN REDUCED GEAR		30" x 30"		36" x 36"			
R14-13	END REDUCED GEAR ZONE		30" x 30"			48" x 48"		
R14-14	TRUCKS OVER (___) LBS STOP (___) FEET		48" x 60"			72" x 96"		
R14-15	TRUCKS OVER (___) LBS WITH ARROW		72" x 36"			96" x 48"		
R14-16-1	VEHICLES OVER (___) FT WIDE PROHIBITED		60" x 60"			96" x 96"		
R14-16(1)	BEYOND EXIT (for R14-16-1)		60" x 12"			96" x 24"		
R14-16(2)	BEYOND NEXT EXIT (for R14-16-1)		60" x 12"			96" x 24"		
R14-16(3)	BEYOND NEXT INTERSECTION (for R14-16-1)		60" x 18"			96" x 30"		
R14-17	TRUCKS OVER 10,000 GVWR RIGHT LANE		48" x 36"					
R14-17-1	VEHICLES OVER (___) FT IN HEIGHT PROHIBITED		60" x 60"			96" x 96"		
R14-18	TRUCKS OVER 10,000 GVWR ENTER		48" x 36"					
R14-19	BUSES RIGHT LANE		48" x 36"					
R14-20	BUSES ENTER HERE		48" x 36"					
R15-1	RAILROAD CROSSBUCK		48" x 9"					24" x 4.5"

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R15-2P	TRACKS PLAQUE (for R15-1)		27" x 9"					13.5" x 9"
R15-3P	EXEMPT RAILROAD CROSSING PLAQUE		24" x 12"					
R15-101	HIGH SPEED TRAINS		24" x 24"					
R16-1	SCHOOL BUS LAW		36" x 36"					
R16-4	FENDER BENDER?		162" x 72"					
R16-8	TURN ON HEADLIGHTS		30" x 15"		60" x 30"		78" x 36"	
R16-9	CHECK HEADLIGHTS		30" x 15"		60" x 30"		78" x 36"	
R16-101	NO CRUISING		36" x 48"					
R16-102	WET PAINT		24" x 24"					
R16-103	NO FISHING, DIVING OR LOITERING		18" x 18"					
R16-104	USE FLASHERS BELOW () MPH				48" x 60"			
R20-4	THREE OR MORE AXLE TRUCKS		24 x 18"					
R22-1	WORK ZONE-TURN ON HEADLIGHTS		48" x 36"		72" x 48"			
W 1-1L	LEFT TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-1R	RIGHT TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-1LR	LEFT TURN WITH SIDE ROAD RIGHT (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-1LS	LEFT TURN WITH SIDE ROAD STRAIGHT AHEAD (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-1RL	RIGHT TURN WITH SIDE ROAD LEFT (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-1RS	RIGHT TURN WITH SIDE ROAD STRAIGHT AHEAD (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-2L	LEFT CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-2R	RIGHT CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-3L	LEFT REVERSE TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-3R	RIGHT REVERSE TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-4L	LEFT REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-4R	RIGHT REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-4BL	TWO-LANE LEFT REVERSE CURVE		36" x 36"		48" x 48"			
W 1-4BR	TWO-LANE RIGHT REVERSE CURVE		36" x 36"		48" x 48"			
W 1-5L	LEFT WINDING ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-5R	RIGHT WINDING ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-5-1	WINDING ROAD NEXT () MILES		36" x 36"					
W 1-6	LARGE SINGLE ARROW		48" x 24"		96" x 48"	120" x 60"		24" x 12"
W 1-7	LARGE DOUBLE ARROW		48" x 24"		96" x 48"	120" x 60"		24" x 12"
W 1-8	CHEVRON ALIGNMENT	18" x 24"	24" x 30"	30" x 36"	36" x 48"			
W 1-10L	LEFT CURVE RIGHT SIDE ROAD		36" x 36"		48" x 48"			
W 1-10R	RIGHT CURVE LEFT SIDE ROAD		36" x 36"		48" x 48"			
W 1-10BL	LEFT CURVE – DIVERGING MINOR RIGHT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-10CL	LEFT CURVE – CONVERGING MINOR RIGHT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-10BR	RIGHT CURVE – DIVERGING MINOR LEFT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-10CR	RIGHT CURVE – CONVERGING MINOR LEFT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-11L	LEFT HORSESHOE CURVE		30" x 30"	36" x 36"	48" x 48"			
W 1-11R	RIGHT HORSESHOE CURVE		30" x 30"	36" x 36"	48" x 48"			
W 1-13L	TRUCK ROLLOVER LEFT CURVE				48" x 48"			
W 1-13R	TRUCK ROLLOVER RIGHT CURVE				48" x 48"			
W 2-1	CROSS ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-2	SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-3L	45° SIDE ROAD LEFT		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-3R	45° SIDE ROAD RIGHT		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-3-1L	CURVE - SIDE ROAD LEFT		30" x 30"	36" x 36"	48" x 48"			
W 2-3-1R	CURVE - SIDE ROAD RIGHT		30" x 30"	36" x 36"	48" x 48"			
W 2-4	T SYMBOL		30" x 30"	36" x 36"	48" x 48"			18" x 18"

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W 2-5	Y SYMBOL		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-5-1L	Y SYMBOL SECONDARY LEFT		30" x 30"	36" x 36"	48" x 48"			
W 2-5-1R	Y SYMBOL SECONDARY RIGHT		30" x 30"	36" x 36"	48" x 48"			
W 2-6	CIRCULAR INTERSECTION	24" x 24"	30" x 30"	36" x 36"	48" x 48"			
W 2-7L	OFFSET SIDE ROADS LEFT		30" x 30"	36" x 36"	48" x 48"			
W 2-7R	OFFSET SIDE ROADS RIGHT		30" x 30"	36" x 36"	48" x 48"			
W 2-8	DOUBLE SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 3-1	STOP AHEAD		36" x 36"		48" x 48"			18" x 18"
W 3-2	YIELD AHEAD		36" x 36"		48" x 48"			18" x 18"
W 3-3	SIGNAL AHEAD		36" x 36"		48" x 48"			18" x 18"
W 3-3-3	SIGNAL OUT OF SERVICE		36" x 36"		48" x 48"			
W 3-4	BE PREPARED TO STOP		36" x 36"		48" x 48"			
W 3-4A	POLICE CONTROL AHEAD		36" x 36"		48" x 48"			
W 3-5	SPEED REDUCTION SIGN		36" x 36"		48" x 48"			
W 4-1L	MERGE LEFT		36" x 36"		48" x 48"			
W 4-1R	MERGE RIGHT		36" x 36"		48" x 48"			
W 4-2L	PAVEMENT WIDTH TRANSITION - LEFT LANE ENDS		36" x 36"		48" x 48"			
W 4-2R	PAVEMENT WIDTH TRANSITION - RIGHT LANE ENDS		36" x 36"		48" x 48"			
W 4-3L	LEFT ADDED LANE				48" x 48"			
W 4-3R	RIGHT ADDED LANE				48" x 48"			
W 4-4P	CROSS TRAFFIC DOES NOT STOP PLAQUE		30" x 15"		36" x 18"			
W 4-4APL	TRAFFIC FROM LEFT DOES NOT STOP PLAQUE		30" x 15"		36" x 18"			
W 4-4APR	TRAFFIC FROM RIGHT DOES NOT STOP PLAQUE		30" x 15"		36" x 18"			
W 4-4BP	ONCOMING TRAFFIC DOES NOT STOP PLAQUE		30" x 15"		36" x 18"			
W 4-5	ENTERING ROADWAY MERGE	30" x 30"	36" x 36"		48" x 48"			
W 4-5P	NO MERGE AREA PLAQUE		18" x 24"		24" x 30"			
W 4-13	WEAVE AREA		36" x 36"					
W 5-1	ROAD NARROWS		36" x 36"					
W 5-1-1	NARROW ROAD NEXT (____) MILES		36" x 36"					
W 5-2	NARROW BRIDGE		36" x 36"		48" x 48"			18" x 18"
W 5-2A	NARROW UNDERPASS		30" x 30"	36" x 36"				
W 5-3	ONE LANE BRIDGE		36" x 36"		48" x 48"			
W 5-3A	ONE LANE UNDERPASS		36" x 36"		48" x 48"			
W 5-3B	TWO ONE LANE BRIDGES		36" x 36"		48" x 48"			
W 5-4	RAMP NARROWS		36" x 36"		48" x 48"			
W 5-4-1	LANES NARROW		36" x 36"		48" x 48"			
W 5-5	LANES SHIFT		36" x 36"		48" x 48"			
W 6-1	DIVIDED HIGHWAY - DIVIDED HIGHWAY ENDS		36" x 36"		48" x 48"			
W 6-3	TWO - WAY TRAFFIC		36" x 36"		48" x 48"			
W 7-1	HILL		30" x 30"	36" x 36"	48" x 48"			
W 7-3P	GRADE PLAQUE (for W7-1)		24" x 18"		30" x 24"			
W 7-3AP	NEXT (____) MILES PLAQUE (for W7-1)		24" x 18"		30" x 24"			
W 7-3BP	(____) GRADE / (____) MILES PLAQUE (for W7-1)		24" x 18"		30" x 24"			
W 7-4	ADVANCE RUNAWAY TRUCK RAMP		78" x 48"			144" x 72"		
W 7-4B	RUNAWAY TRUCK RAMP EXIT (right diag. arrow)		78" x 60"			114" x 72"		
W 7-4DP	SAND PLAQUE		78" x 18"			144" x 24"		
W 7-4EP	GRAVEL PLAQUE		78" x 18"			144" x 24"		
W 7-4FP	PAVED PLAQUE		78" x 18"			144" x 24"		
W 7-6	HILL BLOCKS VIEW		30" x 30"	36" x 36"				
W 8-1	BUMP		30" x 30"	36" x 36"				18" x 18"

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W 8-2	DIP		30" x 30"	36" x 36"			18" x 18"	
W 8-3	PAVEMENT ENDS		36" x 36"				18" x 18"	
W 8-4	SOFT SHOULDER	30" x 30"	36" x 36"					
W 8-5	SLIPPERY WHEN WET		30" x 30"	36" x 36"	48" x 48"			
W 8-5P	SLIPPERY WHEN WET PLAQUE		24" x 18"		30" x 24"			
W 8-7	LOOSE GRAVEL	30" x 30"	36" x 36"					
W 8-8	ROUGH ROAD	30" x 30"	36" x 36"					
W 8-9	LOW SHOULDER	30" x 30"	36" x 36"					
W 8-11	UNEVEN LANES		36" x 36"		48" x 48"			
W 8-13	BRIDGE ICES BEFORE ROAD		36" x 36"		48" x 48"			
W 8-13B	BRIDGE MAY BE SLIPPERY		36" x 36"		48" x 48"			
W 8-14	FALLEN ROCKS		30" x 30"	36" x 36"	48" x 48"			
W 8-15	GROOVED PAVEMENT		36" x 36"		48" x 48"			
W8-17L	SHOULDER DROP OFF LEFT		30" x 30"	36" x 36"	48" x 48"			
W8-17R	SHOULDER DROP OFF RIGHT		30" x 30"	36" x 36"	48" x 48"			
W8-17P	SHOULDER DROP-OFF PLAQUE		24" x 18"		36" x 30"	30" x 24"		
W 8-18	ROAD MAY FLOOD		36" x 36"					
W 8-21	GUSTY WINDS AREA		36" x 36"		48" x 48"			
W 8-22	FOG AREA				48" x 48"			
W 8-101	RUMBLE STRIPS AHEAD		36" x 36"		48" x 48"			
W 8-102	CENTER LINE RUMBLE STRIPS		36" x 36"		48" x 48"			
W 8-103	OPEN GRATE BRIDGE		36" x 36"					
W 8-104	WATCH FOR ICE		36" x 36"		48" x 48"			
W 8-105	WATCH FOR MUD		36" x 36"		48" x 48"			
W 8-106	MUD SLIDE AREA		36" x 36"					
W 8-107	SLIPPERY WINTER CONDITIONS				48" x 48"			
W 8-108 & W 8-108P	ANTICIPATING IN PROGRESS AND WHEN FLASHING		36" x 36"		48" x 48"			
W 9-1L	LEFT LANE ENDS	30" x 30"	36" x 36"		48" x 48"			
W 9-1R	RIGHT LANE ENDS	30" x 30"	36" x 36"		48" x 48"			
W 9-2L	LANE ENDS MERGE LEFT	30" x 30"	36" x 36"		48" x 48"			
W 9-2R	LANE ENDS MERGE RIGHT	30" x 30"	36" x 36"		48" x 48"			
W 9-3	CENTER LANE CLOSED		36" x 36"		48" x 48"			
W 9-3A	CENTER LANE MUST SHIFT LEFT		30" x 30"	36" x 36"	48" x 48"			
W10-1	RAILROAD WARNING		36" DIA.		48" DIA.		24" DIA.	
W10-1AP	EXEMPT RAILROAD WARNING PLAQUE (for W10-1)		24" x 12"					
W10-1B	BICYCLISTS DISMOUNT		18" x 18"		24" x 24"			
W10-2	RAILROAD CROSSING AT CROSS ROAD		36" x 36"		48" x 48"			
W10-3	RAILROAD CROSSING ON SIDE ROAD		36" x 36"		48" x 48"			
W10-4	RR CROSSING ON STEM OF "T" INTERSECTION (RIGHT)		36" x 36"		48" x 48"			
W10-4A	RR CROSSING ON STEM OF "T" INTERSECTION (LEFT)		36" x 36"		48" x 48"			
W10-5	LOW GROUND CLEARANCE HIGHWAY-RAIL GRADE CROSSING		36" x 36"					
W10-5P	LOW GROUND CLEARANCE HIGHWAY-RAIL GRADE CROSSING PLAQUE		24" x 18"					
W10-9P	NO TRAIN HORN PLAQUE		24" x 18"					
W11-1	BICYCLE WARNING		30" x 30"	36" x 36"			18" x 18"	
W11-2	PEDESTRIAN		30" x 30"	36" x 36"			18" x 18"	
W11-2A	RAISED PEDESTRIAN CROSSING		30" x 30"	36" x 36"				
W11-2B	HIKER CROSSING		30" x 30"	36" x 36"				
W11-3	DEER CROSSING		30" x 30"	36" x 36"	48" x 48"			
W11-4	CATTLE CROSSING		30" x 30"	36" x 36"				
W11-5	FARM MACHINERY		30" x 30"	36" x 36"				

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W11-6	SNOWMOBILE CROSSING		30" x 30"	36" x 36"				
W11-6-1	ATV CROSSING		30" x 30"	36" x 36"				
W11-7	EQUESTRIAN CROSSING		30" x 30"	36" x 36"				
W11-8	FIRE STATION		30" x 30"	36" x 36"				
W11-8-2	EMERGENCY VEHICLE ENTRANCE		30" x 30"	36" x 36"				
W11-9	HANDICAPPED AREA		30" x 30"	36" x 36"				
W11-10	TRUCK CROSSING		30" x 30"	36" x 36"	48" x 48"			
W11-10-1	HEAVY EQUIPMENT CROSSING		30" x 30"	36" x 36"				
W11-11	GOLF CART CROSSING		30" x 30"	36" x 36"				
W11-12	PLANT ENTRANCE		30" x 30"	36" x 36"				
W11-12P	EMERGENCY SIGNAL AHEAD PLAQUE		36" x 30"					
W11-13	PARK ENTRANCE		30" x 30"	36" x 36"				
W11-14	HORSEDRAWN VEHICLE		30" x 30"	36" x 36"				
W11-15	COMBINED BICYCLE / PEDESTRIAN	24" x 24"	30" x 30"	36" x 36"	48" x 48"			18" x 18"
W11-15P	TRAIL X-ING PLAQUE		24" x 18"		30" x 24"	36" x 30"		
W11-20	ELK CROSSING		30" x 30"	36" x 36"				
W11-25	BLIND PEDESTRIAN CROSSING		30" x 30"	36" x 36"				
W11-26	DUCK CROSSING		30" x 30"	36" x 36"				
W11-27	TANK CROSSING		30" x 30"	36" x 36"				
W11-28	CEMETERY ENTRANCE		30" x 30"	36" x 36"				
W11-101	HOSPITAL		30" x 30"	36" x 36"				
W11-102	CHURCH		30" x 30"	36" x 36"				
W11-103	HIDDEN DRIVEWAY		30" x 30"	36" x 36"				
W11-104	BRIDLE PATH		30" x 30"	36" x 36"				
W11-105	LEFT TURNS AND CROSS TRAFFIC				48" x 48"	60" x 60"		
W11-106	LEFT TURNS		30" x 30"	36" x 36"				
W11-107	WATCH FOR TURNS		30" x 30"	36" x 36"				
W11-108	IMPAIRED CHILD		30" x 30"	36" x 36"				
W12-1	DOUBLE ARROW		36" x 36"					
W12-2	LOW CLEARANCE		36" x 36"		48" x 48"			18" x 18"
W12-2-3	ON SHOULDER		36" x 18"		48" x 24"			
W12-2A	LOW CLEARANCE (overhead)		78" x 24"					
W13-1P	ADVISORY SPEED PLAQUE		18" x 18" / 24" x 24" / 30" x 30" **					
W13-2	ADVISORY EXIT SPEED				48" x 60"			
W13-3	ADVISORY RAMP SPEED				48" x 60"			
W14-2	NO OUTLET		30" x 30"	36" x 36"				
W14-2-1	NO THRU STREEET		36" x 36"					
W14-2AL	NO OUTLET (LEFT ARROW)		36" x 8"					
W14-2AR	NO OUTLET (RIGHT ARROW)		36" x 8"					
W14-3	NO PASSING ZONE (pennant)		48" x 36"					
W14-5	NO WINTER MAINTENANCE		30" x 30"	36" x 36"				
W14-6	CONGESTED AREA NEXT (____) MILE(S)				60" x 60"			
W14-7	WATCH FOR STOPPED VEHICLES		36" x 36"		48" x 48"	60" x 60"		
W14-9	TRUCK WEIGHING AHEAD		36" x 36"		48" x 48"			
W14-11	VEHICLES ARE CLOSER THAN THEY APPEAR		18" x 18"					
W14-12	SLOW MOVING VEHICLES				48" x 48"	60" x 60"		
W14-13	LOW FLYING AIRCRAFT				48" x 48"			
W14-15	TRAFFIC SURVEY		36" x 36"		48" x 48"			
W14-16	BALLOON LAUNCH AREA		36" x 36"		48" x 48"			
W14-20	EFFECTIVE HOURS (panel) - 24" WIDTH		12" / 18" / 24" HEIGHTS *					

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
-	EFFECTIVE HOURS (panel) - 30" WIDTH		15" / 24" / 30" HEIGHTS *					
W14-22	ARE YOUR TURN SIGNALS ON ?		48" x 24"					
W15-1	PLAYGROUND		30" x 30"	36" x 36"				18" x 18"
W 15-2	WATCH CHILDREN		30" x 30"	36" x 36"				
W16-4P	NEXT () FEET (black-on-yellow) PLAQUE		30" x 24"					
W16-5PL	90° TURN - LEFT ARROW PLAQUE		24" x 18"					
W 16-5PR	90° TURN - RIGHT ARROW PLAQUE		24" x 18"					
W16-6PL	ADVANCE 90° TURN - LEFT ARROW PLAQUE		24" x 18"					
W16-6PR	ADVANCE 90° TURN - RIGHT ARROW PLAQUE		24" x 18"					
W16-7P	DIAGONAL DOWNWARD POINTING ARROW PLAQUE		24" x 12"			30" x 18"		24" x 12"
W16-8P	SINGLE-LINE ADVANCE STREET NAME PLAQUE		VAR x 8"	VAR. x 12"				
W16-8AP	DOUBLE-LINE ADVANCE STREET NAME PLAQUE		48" x 16"	72" x 24"				
W16-9P	AHEAD PLAQUE		24" x 12"	36" x 24"			48" x 30"	24" x 12"
W16-10AP	PHOTO ENFORCED PLAQUE		24" x 18"				36" x 30"	
W16-10-1	RED LIGHT PHOTO ENFORCED		30" x 30"				48" x 48"	
W16-12P	TRAFFIC CIRCLE PLAQUE		24" x 18"					
W16-17P	ROUNDBABOUT PLAQUE		24" x 12"					
W16-101	SHARE THE ROAD		30" x 30"	36" x 36"				
W16-102P	CONSPICUITY PLAQUE		18" x 18"					
W16-103P	DISTANCE AHEAD PLAQUE		24" x 18"			36" x 24"		
W17-1	SPEED HUMP		30" x 30"	36" x 36"				
W19-1	FREEWAY ENDS XX MILE(S)				144" x 48"			
W19-2	EXPRESSWAY ENDS XX MILE(S)				144" x 48"			
W19-3	FREEWAY ENDS				48" x 48"	60" x 60"		
W19-4	EXPRESSWAY ENDS				48" x 48"	60" x 60"		
W20-1	ROAD WORK		36" x 36"		48" x 48"	60" x 60"		
W20-1S	RECTANGULAR ROAD WORK		36" x 36"					
W20-2	ADVANCE DETOUR		36" x 36"		48" x 48"			
W20-3	ROAD CLOSED		36" x 36"		48" x 48"			
W20-3A	ROAD OPEN		48" x 36"					
W20-4	ONE LANE ROAD		36" x 36"		48" x 48"			
W20-5AL	LEFT TWO LANES CLOSED				48" x 48"			
W20-5AR	RIGHT TWO LANES CLOSED				48" x 48"			
W20-5L	LEFT LANE CLOSED		36" x 36"		48" x 48"			
W20-5R	RIGHT LANE CLOSED		36" x 36"		48" x 48"			
W20-5-3	RECTANGULAR LEFT LANE CLOSED		36" x 48"					
W20-5-4	RECTANGULAR RIGHT LANE CLOSED		36" x 48"					
W20-7	FLAGGER SYMBOL		36" x 36"		48" x 48"			
W20-9	TEMPORARY ROADWAY		36" x 36"		48" x 48"			
W20-10A	BE PREPARED TO STOP NEXT () MI		36" x 36"		48" x 48"			
W20-11	SOBRIETY CHECK POINT AHEAD				48" x 48"			
W20-12	SAFETY CHECK POINT AHEAD				48" x 48"			
W20-13	TUNNEL TEMPORARILY CLOSED		30" x 30"	36" x 36"				
W20-15	EXPECT DELAYS		36" x 36"		48" x 48"			
W20-16	ROAD SURVEY NEXT () MILE		36" x 36"		48" x 48"			
W20-17	END ROADWAY SURVEY		30" x 30"					
W20-99	TUNNEL LANE CLOSED		36" x 36"		48" x 48"			
W20-101	LANES BLOCKED AHEAD		36" x 36"		48" x 48"			
W20-102	TRAFFIC ENFORCEMENT ZONE				48" x 48"			
W20-103	ARROW		30" x 30"	36" x 36"				

PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W21-2	FRESH OIL		30" x 30"	36" x 36"				
W21-2-1	TRAVEL AT YOUR OWN RISK		30" x 30"					
W21-5	SHOULDER WORK		30" x 30"	36" x 36"	48" x 48"			
W21-5BL	LEFT SHOULDER CLOSED (L)		30" x 30"	36" x 36"	48" x 48"			
W21-5BR	RIGHT SHOULDER CLOSED (L)		30" x 30"	36" x 36"	48" x 48"			
W21-5-1	FRESH OIL AND CHIPS		36" x 36"					
W21-5-2	OIL AND CHIPPING AHEAD		36" x 36"					
W21-6	SURVEY CREW		36" x 36"		48" x 48"			
W21-7	UTILITY WORK AHEAD		36" x 36"					
W21-9A	NO GUIDE RAIL		30" x 30"	36" x 36"	48" x 48"			
W21-10	STOP AND SLOW (paddle)	18" x 18"	24" x 24"					
W21-11	BRIDGE INSPECTION AHEAD		36" x 36"		48" x 48"			
W21-12	SAND BLASTING AHEAD CLOSE WINDOWS		60" x 36"					
W21-14	MOWING NEXT () MI		36" x 36"		48" x 48"			
W21-15	COUNTER INSTALLATION AHEAD		36" x 36"		48" x 48"			
W21-16	NO PAVEMENT MARKINGS		36" x 36"		48" x 48"			
W21-18	LITTER CREW AHEAD		36" x 36"		48" x 48"			
W21-18A	LITTER CREW AHEAD (Square)		36" x 36"		48" x 48"			
W21-19	ACTIVE WORK ZONE WHEN FLASHING		36" x 36"		48" x 48"			
W21-20	END ACTIVE WORK ZONE		36" x 36"		48" x 48"			
W21-101	RAMP WORK AHEAD				48" x 48"			
W21-102	WORK AREA AHEAD		36" x 36"		48" x 48"			
W21-103	RECTANGULAR WORK AREA AHEAD		36" x 48"					
W22-1	BLASTING ZONE AHEAD				48" x 48"			
W22-2	TURN OFF 2-WAY RADIOS AND CELL PHONES				48" x 36"			
W22-3	END BLASTING ZONE				42" x 36"			
W23-2	NEW TRAFFIC PATTERN AHEAD		36" x 36"					
W23-101	THIS BRIDGE TO BE CLOSED FOR MAINTENANCE		96" x 48"					
W23-102	ROAD TO BE OILED NEXT WEEK		36" x 36"					
W23-103	END OF PROPOSED OILING		36" x 36"					
W24-1L & W24-1R	SINGLE LANE DOUBLE REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			
W24-1AL & W24-1AR	TWO LANE DOUBLE REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			
W24-1BL & W24-1BR	THREE LANE DOUBLE REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			
W25-1	ONCOMING TRAFFIC HAS EXTENDED GREEN		24" x 30"					
W25-2	ONCOMING TRAFFIC MAY HAVE EXTENDED GREEN		24" x 30"					
W25-3	BUS INSPECTION AHEAD		36" x 36"		48" x 48"			
W25-4	EXIT GORE				48" x 48"			
W25-5	CONSTRUCTION ENTRANCE AHEAD		36" x 36"		48" x 48"			
W25-101	INCIDENT AHEAD		36" x 36"		48" x 48"			
W25-102	TRUCK INSPECTION AHEAD		36" x 36"		48" x 48"			
W30-1-1	DISTANCE (500 FT) (panel)		20" x 6"		30" x 10"			
W30-1-2	DISTANCE (1000 FT) (panel)		20" x 6"		30" x 10"			
W30-1-3	DISTANCE (1500 FT) (panel)		20" x 6"		30" x 10"			
W30-1-4	DISTANCE (1/2 MILE) (panel)		20" x 6"		30" x 10"			
W30-1-5	DISTANCE (1 MILE) (panel)		20" x 6"		30" x 10"			
W30-1-6	DISTANCE (AHEAD) (panel)		20" x 6"		30" x 10"			
W35-1	SAFETY CORRIDOR - FINES DOUBLED NEXT XX MILES		60" X 36"		120" X 54"			
W35-2	END FINES DOUBLED CORRIDOR		60" X 36"		108" X 54"			
G20-1	LENGTH OF WORK		60" x 30"			72" x 36"		
G20-1-2	ROAD WORK TO BEGIN NEXT WEEK		48" x 36"					

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
G20-2	END ROAD WORK		36" x 18"		60" x 24"			
G20-4	PILOT CAR		36" x 18"					
G20-4-1	TURNING VEHICLES -- WAIT FOR PILOT CAR		36" x 48"					
G20-5AP	WORK ZONE PLAQUE		24" x 18" / 36" x 24" / 48" x 36" *					
G20-6	DETOUR FOLLOW RED ARROW		48" x 30"					
G20-6-1	RED ARROW		24" x 12"					
G20-15	CROSSOVER (____) FEET		72" x 36"					
G20-16	MAINTAIN SAFE DISTANCE BETWEEN VEHICLES		60" x 60"					
G20-17	SINGLE LANE NEXT (____) MILES		60" x 60"					
G30-1	EMERGENCY PULL-OFF (____)		96" x 60"					
G30-2	EMERGENCY PULL-OFF ENTRANCE		96" x 60"					
G40-1	TEMPORARY ARROW	72" x 36"	96" x 48"					
G40-2	STRIPED (panel) (for G40-1)	72" x 36"	96" x 48"					
G60-1	ROAD WORK INFO TUNE RADIO TO (____) AM			132" x 60"			120" x 48"	
G60-1A	URGENT MESSAGE WHEN FLASHING			132" x 36"			120" x 24"	
G70-1	USE BOTH LANES TO MERGE POINT			132" x 42"				
G70-2	MERGE HERE TAKE YOUR TURN			132" x 42"				
M 1-1	INTERSTATE ROUTE (marker) - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	INTERSTATE ROUTE (marker) - 3 DIGITS		30" x 24"		45" x 36"			
M 1-2	INTERSTATE BUSINESS LOOP - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	INTERSTATE BUSINESS LOOP - 3 DIGITS		30" x 24"		45" x 36"			
M 1-3	INTERSTATE BUSINESS SPUR - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	INTERSTATE BUSINESS SPUR - 3 DIGITS		30" x 24"		45" x 36"			
M 1-4	U.S. ROUTE (marker) - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	U.S. ROUTE (marker) - 3 DIGITS		30" x 24"		45" x 36"			
M 1-5	PENNSYLVANIA ROUTE (marker) - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	PENNSYLVANIA ROUTE (marker) - 3 DIGITS		30" x 24"		45" x 36"			
M 1-5A	PENNSYLVANIA TURNPIKE (marker)		36" x 36"		45" x 36"			
M1-8	BICYCLEPA ROUTE (marker)		12" x 30"					
M1-8A	BICYCLEPA ROUTE MARKER TURN ASSEMBLY		12" x 30"					
M1-10	EISENHOWER INTERSTATE SYSTEM (2 pages)				36" x 36"			
M 2-1	JUNCTION (marker)		21" x 15"		30" x 18"			12" x 6"
M 2-1-1	INTERSTATE JUNCTION (marker)		21" x 15"		30" x 18"			
M 3-1	NORTH (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-1-1	INTERSTATE NORTH (marker)		24" x 12"		30" x 15"			
M 3-1-2	INTERSTATE BUSINESS NORTH (marker)		24" x 12"		30" x 15"			
M 3-2	EAST (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-2-1	INTERSTATE EAST (marker)		24" x 12"		30" x 15"			
M 3-3	SOUTH (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-3-1	INTERSTATE SOUTH (marker)		24" x 12"		30" x 15"			
M 3-3-2	INTERSTATE BUSINESS SOUTH (marker)		24" x 12"		30" x 15"			
M 3-4	WEST (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-4-1	INTERSTATE WEST (marker)		24" x 12"		30" x 15"			
M 4-1	ALTERNATE MARKER		24" x 12"		30" x 15"			12" x 6"
M 4-2	BY- PASS (marker)		24" x 12"		30" x 15"			12" x 6"
M 4-3	BUSINESS (marker)		24" x 12"		30" x 15"			12" x 6"
M 4-4	TRUCK (marker)		24" x 12"		30" x 15"			
M 4-5	TO (marker)		24" x 12"		30" x 15"			12" x 6"
M 4-5-1	INTERSTATE TO (marker)		24" x 12"		30" x 15"			
M 4-6	END (marker)		24" x 12"		30" x 15"			12" x 6"

PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
M 4-8	DETOUR (marker)		24" x 12"		30" x 15"			12" x 6"
M 4-8A	END DETOUR		24" x 18"		36" x 30"			
M 4-8-1	CAR DETOUR (marker)		24" x 24"					
M 4-8-2	TRUCK DETOUR (marker)		24" x 24"					
M4-9A	BICYCLE / PEDESTRIAN DETOUR		30" x 24"					
M4-9B	PEDESTRIAN DETOUR		30" x 24"					
M4-9C	BICYCLE DETOUR		30" x 24"					
M4-9L	DETOUR, LEFT		30" x 24"		48" x 36"			
M4-9R	DETOUR, RIGHT		30" x 24"		48" x 36"			
M4-9S	DETOUR, STRAIGHT		30" x 24"		48" x 36"			
M4-9SL	LEFT ADVANCE DETOUR		30" x 24"		48" x 36"			
M4-9SR	RIGHT ADVANCE DETOUR		30" x 24"		48" x 36"			
M4-9-1AL	LEFT ADVANCE 45° DETOUR		30" x 24"		48" x 36"			
M4-9-1AR	RIGHT ADVANCE 45° DETOUR		30" x 24"		48" x 36"			
M4-9-1BL	45° LEFT TURN DETOUR		30" x 24"		48" x 36"			
M4-9-1BR	45° RIGHT TURN DETOUR		30" x 24"		48" x 36"			
M4-10L	DETOUR ARROW, LEFT		48" x 18"					
M4-10R	DETOUR ARROW, RIGHT		48" x 18"					
M4-10S	DETOUR ARROW, STRAIGHT		48" x 18"					
M 4-12	END (for D11-1)		24" x 6"					
M 4-13	TO (for D11-1)		24" x 6"					
M 4-14-1	BEGIN (for D11-1)		24" x 6"					
M 5-1L	ADVANCE 90° LEFT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 5-1-1L	INTERSTATE ADVANCE 90° LEFT TURN (marker)		21" x 15"		30" x 18"			
M 5-1R	ADVANCE 90° RIGHT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 5-1-1R	INTERSTATE ADVANCE 90° RIGHT TURN (marker)		21" x 15"		30" x 18"			
M 5-2L	ADVANCE 45° LEFT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 5-2-1L	INTERSTATE ADVANCE 45° LEFT TURN (marker)		21" x 15"		30" x 18"			
M 5-2R	ADVANCE 45° RIGHT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 5-2-1R	INTERSTATE ADVANCE 45° RIGHT TURN (marker)		21" x 15"		30" x 18"			
M5-3	CURVED-STEM ADVANCE TURN ARROW		21" x 15"		30" x 21"			
M 6-1	90° TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 6-1-1	INTERSTATE 90° TURN (marker)		21" x 15"		30" x 18"			
M 6-2L	45° LEFT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 6-2-1L	INTERSTATE 45° LEFT TURN (marker)		21" x 15"		30" x 18"			
M 6-2R	45° RIGHT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 6-2-1R	INTERSTATE 45° RIGHT TURN (marker)		21" x 15"		30" x 18"			
M 6-3	STRAIGHT THROUGH (marker)		21" x 15"		30" x 18"			12" x 9"
M 6-3-1	INTERSTATE STRAIGHT THROUGH (marker)		21" x 15"		30" x 18"			
M 6-4	90° RIGHT AND LEFT TURN (marker)		21" x 15"		30" x 18"			12" x 9"
M 7-1	HORIZONTAL ARROW (for D11-1)		12" x 9"					
M 7-2	VERTICAL ARROW (for D11-1)		12" x 9"					
M 7-3	DOUBLE HEADED DIAGONAL ARROW (for D11-1)		12" x 9"					
M 7-4	DIAGONAL ARROW (for D11-1)		12" x 9"					
M 7-5	DOUBLE HEADED HORIZONTAL ARROW (for D11-1)		12" x 9"					
M 7-6	HORIZONTAL AND VERTICAL ARROW (for D11-1)		12" x 9"					
M 7-7	VERTICAL AND DIAGONAL ARROW (for D11-1)		12" x 9"					
D 1-1	SINGLE-LINE DESTINATION	48" x 8"	72" x 12"					
D 1-1A	SINGLE-LINE DESTINATION MILEAGE	48" x 8"	72" x 12"					
D 1-2	DOUBLE-LINE DESTINATION	48" x 16"	72" x 24"					

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
D 1-2A	DOUBLE-LINE DESTINATION MILEAGE	48" x 16"	72" x 24"					
D 1-3	TRIPLE-LINE DESTINATION	48" x 24"	72" x 36"					
D 1-3A	TRIPLE-LINE DESTINATION MILEAGE	48" x 24"	72" x 36"					
D 2-1	SINGLE-LINE DISTANCE	48" x 8"	72" x 12"					
D 2-2	DOUBLE-LINE DISTANCE	48" x 16"	72" x 24"					
D 2-3	TRIPLE-LINE DISTANCE	48" x 24"	72" x 36"					
D 3-1	STREET NAME	VAR." x 8"	VAR." x 10"	VAR." x 12"				VAR x 6"
D 3-2	SINGLE-LINE ADVANCE STREET NAME		48" x 8"			72" x 12"		
D 3-3	DOUBLE-LINE ADVANCE STREET NAME		48" x 16"			72" x 24"		
D 3-4	SINGLE-LINE OVERHEAD STREET NAME		144" x 24" **					
D 3-5	DOUBLE-LINE OVERHEAD STREET NAME		144" x 42" **					
D 4-1	PARKING AREA	18" x 15"	30" x 24"					
D 4-2	PARK AND RIDE		30" x 36"			36" x 48"		
D 4-10	DEPARTMENT RIDE SHARING PARKING LOT		48" x 48"					
D 5-1	REST AREA (____) MILE		24" x 30"		36" x 48"			
D 5-2	REST AREA ENTRANCE		60" x 24"					
D 5-5A	ROADSIDE TABLE		24" x 24"					
D 5-5-1	(____) FEET (white-on-blue)		24" x 6"					
D 5-6-1	VISITOR INFO				96" x 18"			
D 5-6-2	VENDING MACHINES				96" x 18"			
D 5-6-3	FREE RESERVATION SERVICE				96" x 36"			
D 6-2	ADVANCE SCENIC OVERLOOK		48" x 36"					
D 6-3	SCENIC OVERLOOK ENTRANCE		72" x 24"					
D 7-4	ATTRACTION		48" x 16"		72" x 24"			
D 8-1	ADVANCE WEIGH STATION	60" x 48"	78" x 60"		96" x 72"			
D 8-2	WEIGH STATION NEXT RIGHT	66" x 54"	84" x 72"		108" x 90"			
D 8-3	WEIGH STATION	48" x 42"	66" x 60"		84" x 78"			
D 9-1A	TELEPHONE WITH ARROW	18" x 24"	24" x 30"		30" x 36"			
D 9-1B	TELEPHONE (____) MILE	18" x 24"	24" x 30"		30" x 36"			
D 9-1-2	EMERGENCY TELEPHONE		30" x 24"					
D 9-2	HOSPITAL		24" x 24"		30" x 30"			
D 9-2-2	SERVICES ARROW		24" x 12"		30" x 15"			
D 9-3	CAMPING		24" x 24"		30" x 30"			
D 9-7	GAS		24" x 24"		30" x 30"			
D 9-8	FOOD		24" x 24"		30" x 30"			
D 9-9	LODGING		24" x 24"		30" x 30"			
D 9-10	VISITOR INFORMATION		24" x 24"		30" x 30"			
D 9-11	DIESEL		24" x 24"		30" x 30"			
D 9-14	STATE POLICE		24" x 24"		30" x 30"			
D10-1	SINGLE-DIGIT REFERENCE LOCATION SIGN				12" x 24"			
D10-1A	SINGLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN				12" x 36"			
D10-2	DOUBLE-DIGIT REFERENCE LOCATION SIGN				12" x 36"			
D10-2A	DOUBLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN				12" x 48"			
D10-3	TRIPLE-DIGIT REFERENCE LOCATION SIGN				12" x 48"			
D10-3A	TRIPLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN				12" x 60"			
D10-5	ENHANCED REFERENCE LOCATION WITH DECIMAL SIGN				18" x 60"			
D11-1	BIKE ROUTE		24" x 18"			30" x 24"		24" x 18"
D12-2	CAR POOL INFORMATION	36" x 30"	54" x 42"		72" x 54"			
D12-5	TRAVEL INFO CALL 511		48" x 60"					
D13-3AL	FREEWAY ENTRANCE LEFT SIGN		48" x 48"					

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
D13-3AR	FREEWAY ENTRANCE RIGHT SIGN		48" x 48"					
D14-101	EMERGENCY DETOUR - FOLLOW (COLOR) ARROW		72" x 48"					
D14-102	EMERGENCY DETOUR (COLOR) TRAILBLAZER		18" x 24"		24" x 36"			
D14-103	ALL TRAFFIC MUST EXIT				60" x 60"			
I-1-1	TRAFFIC SIGNAL SPEED		24" x 36"					
I-2-1	SPEED CHECK (marker)		3" x 24"					
I-4-1-2	INFORMATION ARROW		24" x 12"		30" x 15"			
I-5	AIRPORT		24" x 24"		30" x 30"			
I-5-1	SPECIFIC NAME (for I-5, I-6, and I-7)		24" x 12"		30" x 15"			
I-6	BUS STATION		24" x 24"		30" x 30"			
I-6-1	STATION		24" x 8"					
I-7	RAILROAD STATION		24" x 24"		30" x 30"			
I-8	LIBRARY		24" x 24"					
I10-1	CITY NAME		36" x 12"					
I10-2	BOROUGH NAME		36" x 12"					
I10-3	VILLAGE NAME		36" x 12"					
I10-4	TOWNSHIP NAME		36" x 12"					
I10-5	COUNTY NAME		36" x 12"					
I10-6	RIVER NAME		36" x 12"			48" x 24"		
I10-7	MUNICIPALITY NAME		36" x 12"					
I-11	RECYCLING CENTER		24" x 36"					
I12-1	SNOWMOBILE ROAD		24" x 24"	30" x 30"				
I12-1-1	ATV ROAD		24" x 24"	30" x 30"				
I-13A	EMERGENCY NOTIFICATION		30" x 18"					
I13-2	PENNSYLVANIA WELCOMES YOU		144" x 78"		192" x 108"	288" x 144"		
	PENNSYLVANIA WELCOMES YOU - INTERSTATE				264" x 144"			
I13-2A	WELCOME TO PENNSYLVANIA (ALTERNATE)		48" x 24"			72" x 36"		
I13-3	MOUNTAIN SUMMIT AND ELEVATION		120" x 60"		144" x 60"			
I14-1	KEEP PA BEAUTIFUL DO NOT LITTER		48" x 30"					
I14-2	KEEP PA BEAUTIFUL SYMBOL		30" x 30"		36" x 36"			
I14-3	KEEP PENNSYLVANIA BEAUTIFUL STATE OUTLINE		48" x 30"					
I14-4	LITTER FINE		30" x 24"					
I14-5	NO DUMPING ALLOWED		24" x 18"					
I14-6	BUCKLE - UP (Expressway and Freeway)				96" x 48"			
I14-6A	BUCKLE - UP	24" x 30"	30" x 36"					
I15-1	PHOTO CENTER		18" x 12"					
I15-2	PHOTO CENTER PARKING		18" x 18"					
I15-3	PHOTO DRIVERS LICENSE CENTER		30" x 30"					
I15-4	PHOTO CENTER DIRECTIONAL ARROW		18" x 6"					
I16-1	COMMERCIAL DRIVER LICENSE TESTING SITE		30" x 18"					
I18-1	OVERHEAD ROADWAY ID (NUMBERED TR)				VAR x 18"			
I30-1	TRAFFIC SAFETY CHECK	36" x 36"	48" x 48"					
I30-2	TRUCK SURVEY AHEAD		48" x 48"					
I40-1	ADOPT-A-HIGHWAY, NEXT 2 MILES		36" x 18"		48" x 24"			
I40-2	ADOPT-A-HIGHWAY, NEXT (____) MILES		36" x 18"		48" x 24"			
I40-3	ADOPT-A-HIGHWAY, INTERCHANGE AREA		36" x 18"		48" x 24"			
I42-1	NAME OF PERSON (one person)		36" x 8"		48" x 8"			
I42-2	NAME OF PERSONS (two persons)		36" x 12"		48" x 18"			
I43-1	GROUP NAME (one line)		36" x 8"		48" x 8"			
I43-2	GROUP NAME (two line)		36" x 12"		48" x 18"			

**PUBLICATION 236
SIGN INDEX NOMENCLATURE LIST**

* Use sign width that matches primary sign width
** See sign standard for sign size guidance

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
I44-1	ADOPT-A- HIGHWAY THANK YOU		36" x 12"		48" x 18"			
I45-1	RECYCLING SERVICES		36" x 36"					
I47-1	BEAUTIFICATION AREA		36" x 12"					
I47-2	BEAUTIFICATION AREA SPONSOR		36" x 12"					
I60-1	D.U.I. YOU CAN'T AFFORD IT		36" x 36"		48" x 48"			
I70-1	AGILITY		36" x 36"		48" x 48"			
I80-1	WATER SUPPLY AREA		36" x 36"		48" x 48"	90" x 102"	48" x 60"	
I92-1	SLOW DOWN MY DADDY WORKS HERE	48" x 30"	96" x 48"					
I98-1	SAFETY BREAK FREE COFFEE		96" x 72"					
S 1-1	SCHOOL	30" x 30"	36" x 36"			48" x 48"		
S 3-1	SCHOOL BUS STOP AHEAD	30" x 30"	36" x 36"			48" x 48"		
S 3-2	SCHOOL BUS TURN AHEAD	30" x 30"	36" x 36"			48" x 48"		
S 3-3	SCHOOL BUS CROSSING	30" x 30"	36" x 36"			48" x 48"		
S 4-3P	SCHOOL (panel)		24" x 8"			36" x 12"		
S 4-4P	WHEN FLASHING		24" x 10"			36" x 18"		
S 4-5	REDUCED SPEED (SCHOOL) ZONE AHEAD	30" x 30"	36" x 36"			48" x 48"		
S 5-2	END SCHOOL ZONE		24" x 30"			36" x 48"		
OM1-3	OBJECT MARKER (yellow reflectorized blank)		18" x 18"					
OM4-3	END OF ROADWAY MARKER (red reflectorized blank)		18" x 18"					
OM-3L	LEFT CLEARANCE MARKER (black & yellow)		12" x 36"		18" x 36"			6" x 18"
OM-3R	RIGHT CLEARANCE MARKER (black & yellow)		12" x 36"		18" x 36"			6" x 18"
--	STANDARD ARROW							